

Mounting	Suspended
Wattage	22W, 32W, 45W, 57W, 67W, 78W, 90W
Voltage	240V
Dimensions	(W) 65mm x (H) 88mm
Length	1136mm, 1416mm, 1696mm, 1976mm, 2256mm, 576mm, 856mm
Finish	Black, White
CCT	3000K, 4000K
Beam Angle	82°
Material	Aluminium
Driver	In-built
Diffuser	Black Louvre, White Louvre
IP Rating	IP40
UGR	<19
Luminous Flux	Up 110lm/W, Down 75lm/W
CRI	>83+, >92+
Colour Deviation	<3 SDCM
Lifetime	50,000 hours
Accessories	90 Degree Connector, Canopy Kit, Straight Connector, Suspension Kit
Control Gear	1-10V, DALI, Non-dimmable
Warranty	5 years
Luminaires Type	Linear Systems – Luminaires
Luminous Flux lm	1-500lm

Control Gear

Accessories

90 Degree Connector, Canopy Kit, Straight Connector, Suspension Kit

FEYZ.LVUD6588						
PRODUCT NAME	WATTAGE	FINISH	INNER TRIM FINISH	CCT	BEAM ANGLE	CONTROL GEAR

VARIATIONS

Image	SKU	Mounting	Wattage	Voltage	Dimensions	Length	Finish	CCT	Beam Angle	Material	Driver	Diffuser	IP Rating	UGR	Luminous Flux	CRI	Colour Deviation	Lifetime	Warranty	Luminaires Type
	FEYZ.LVUD6588	Suspended	90W	240V	(W) 65mm x (H) 88mm	2256mm	White	4000K	82°	Aluminium	In-built	Black Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>92+ <3 SDCM	50,000 hours	5 years	Linear Systems – Luminaires	
	FEYZ.LVUD6588	Suspended	90W	240V	(W) 65mm x (H) 88mm	2256mm	White	4000K	Any Beam Angle	Aluminium	In-built	Black Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>83+ <3 SDCM	50,000 hours	5 years	Linear Systems – Luminaires	
	FEYZ.LVUD6588	Suspended	90W	240V	(W) 65mm x (H) 88mm	2256mm	White	3000K	82°	Aluminium	In-built	Black Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>92+ <3 SDCM	50,000 hours	5 years	Linear Systems – Luminaires	



Image	SKU	Mounting	Wattage	Voltage	Dimensions	Length	Finish	CCT	Beam Angle	Material	Driver	Diffuser	IP Rating	UGR	Luminous Flux	CRI	Colour Deviation	Lifetime	Warranty	Luminaires Type
	FEYZ.LVUD6588	Suspended	90W	240V	(W) 65mm (H) 88mm	2256mm	White	3000K	82°	Aluminium	In-built	Black Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>83+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	90W	240V	(W) 65mm (H) 88mm	2256mm	Black	4000K	82°	Aluminium	In-built	Black Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	90W	240V	(W) 65mm (H) 88mm	2256mm	Black	4000K	82°	Aluminium	In-built	Black Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>83+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	90W	240V	(W) 65mm (H) 88mm	2256mm	Black	3000K	82°	Aluminium	In-built	Black Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	90W	240V	(W) 65mm (H) 88mm	2256mm	Black	3000K	82°	Aluminium	In-built	Black Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>83+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	90W	240V	(W) 65mm (H) 88mm	2256mm	White	4000K	82°	Aluminium	In-built	White Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	90W	240V	(W) 65mm (H) 88mm	2256mm	White	4000K	82°	Aluminium	In-built	White Louvre	IP40	<19	Any Luminous Flux	>83+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	90W	240V	(W) 65mm (H) 88mm	2256mm	White	3000K	82°	Aluminium	In-built	White Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	90W	240V	(W) 65mm (H) 88mm	2256mm	White	3000K	82°	Aluminium	In-built	White Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>83+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	90W	240V	(W) 65mm (H) 88mm	2256mm	Black	4000K	82°	Aluminium	In-built	White Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	90W	240V	(W) 65mm (H) 88mm	2256mm	Black	4000K	82°	Aluminium	In-built	White Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>83+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	90W	240V	(W) 65mm (H) 88mm	2256mm	Black	3000K	82°	Aluminium	In-built	White Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>83+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	90W	240V	(W) 65mm (H) 88mm	2256mm	Black	3000K	82°	Aluminium	In-built	White Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>83+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	78W	240V	(W) 65mm (H) 88mm	1976mm	Black	3000K	82°	Aluminium	In-built	White Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	78W	240V	(W) 65mm (H) 88mm	1976mm	Black	3000K	82°	Aluminium	In-built	White Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>83+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires



Image	SKU	Mounting	Wattage	Voltage	Dimensions	Length	Finish	CCT	Beam Angle	Material	Driver	Diffuser	IP Rating	UGR	Luminous Flux	CRI	Colour Deviation	Lifetime	Warranty	Luminaires Type
	FEYZ.LVUD6588	Suspended	78W	240V	(W) 65mm (H) 88mm	1976mm	Black	4000K 82°		Aluminium	In-built	Black Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	78W	240V	(W) 65mm (H) 88mm	1976mm	Black	4000K 82°		Aluminium	In-built	Black Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	78W	240V	(W) 65mm (H) 88mm	1976mm	Black	3000K 82°		Aluminium	In-built	Black Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	78W	240V	(W) 65mm (H) 88mm	1976mm	Black	3000K 82°		Aluminium	In-built	Black Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	22W	240V	(W) 65mm (H) 88mm	576mm	White	4000K 82°		Aluminium	In-built	Black Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	22W	240V	(W) 65mm (H) 88mm	576mm	White	4000K 82°		Aluminium	In-built	White Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	22W	240V	(W) 65mm (H) 88mm	576mm	White	4000K 82°		Aluminium	In-built	White Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	22W	240V	(W) 65mm (H) 88mm	576mm	White	4000K 82°		Aluminium	In-built	White Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	22W	240V	(W) 65mm (H) 88mm	576mm	White	4000K 82°		Aluminium	In-built	Black Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	22W	240V	(W) 65mm (H) 88mm	576mm	White	3000K 82°		Aluminium	In-built	White Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	22W	240V	(W) 65mm (H) 88mm	576mm	White	3000K 82°		Aluminium	In-built	White Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	22W	240V	(W) 65mm (H) 88mm	576mm	White	3000K 82°		Aluminium	In-built	Black Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	22W	240V	(W) 65mm (H) 88mm	576mm	White	3000K 82°		Aluminium	In-built	Black Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	22W	240V	(W) 65mm (H) 88mm	576mm	Black	4000K 82°		Aluminium	In-built	White Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	22W	240V	(W) 65mm (H) 88mm	576mm	Black	4000K 82°		Aluminium	In-built	White Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	22W	240V	(W) 65mm (H) 88mm	576mm	Black	4000K 82°		Aluminium	In-built	Black Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires



Image	SKU	Mounting	Wattage	Voltage	Dimensions	Length	Finish	CCT	Beam Angle	Material	Driver	Diffuser	IP Rating	UGR	Luminous Flux	CRI	Colour Deviation	Lifetime	Warranty	Luminaires Type
	FEYZ.LVUD6588	Suspended	22W	240V	(W) 65mm (H) 88mm	576mm	Black	4000K	82°	Aluminium	In-built	Black Louvre	IP40	<19	Up: 110lm/W Down: 75lm/W	>83+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	22W	240V	(W) 65mm (H) 88mm	576mm	Black	3000K	82°	Aluminium	In-built	White Louvre	IP40	<19	Up: 110lm/W Down: 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	22W	240V	(W) 65mm (H) 88mm	576mm	Black	3000K	82°	Aluminium	In-built	White Louvre	IP40	<19	Up: 110lm/W Down: 75lm/W	>83+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	22W	240V	(W) 65mm (H) 88mm	576mm	Black	3000K	82°	Aluminium	In-built	Black Louvre	IP40	<19	Up: 110lm/W Down: 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	22W	240V	(W) 65mm (H) 88mm	576mm	Black	3000K	82°	Aluminium	In-built	Black Louvre	IP40	<19	Up: 110lm/W Down: 75lm/W	>83+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	32W	240V	(W) 65mm (H) 88mm	856mm	White	4000K	82°	Aluminium	In-built	White Louvre	IP40	<19	Up: 110lm/W Down: 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	32W	240V	(W) 65mm (H) 88mm	856mm	White	4000K	82°	Aluminium	In-built	White Louvre	IP40	<19	Up: 110lm/W Down: 75lm/W	>83+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	32W	240V	(W) 65mm (H) 88mm	856mm	White	4000K	82°	Aluminium	In-built	Black Louvre	IP40	<19	Up: 110lm/W Down: 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	32W	240V	(W) 65mm (H) 88mm	856mm	White	4000K	82°	Aluminium	In-built	Black Louvre	IP40	<19	Up: 110lm/W Down: 75lm/W	>83+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	32W	240V	(W) 65mm (H) 88mm	856mm	White	3000K	82°	Aluminium	In-built	White Louvre	IP40	<19	Up: 110lm/W Down: 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	32W	240V	(W) 65mm (H) 88mm	856mm	White	3000K	82°	Aluminium	In-built	White Louvre	IP40	<19	Up: 110lm/W Down: 75lm/W	>83+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	32W	240V	(W) 65mm (H) 88mm	1136mm	White	3000K	82°	Aluminium	In-built	Black Louvre	IP40	<19	Up: 110lm/W Down: 75lm/W	>92+	Any Colour Deviation	50,000 hours	5 years	Any Luminaires Type
	FEYZ.LVUD6588	Suspended	32W	240V	(W) 65mm (H) 88mm	576mm	White	3000K	82°	Aluminium	In-built	Black Louvre	IP40	<19	Up: 110lm/W Down: 75lm/W	>83+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	32W	240V	(W) 65mm (H) 88mm	856mm	Black	4000K	82°	Aluminium	In-built	White Louvre	IP40	<19	Up: 110lm/W Down: 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	32W	240V	(W) 65mm (H) 88mm	856mm	Black	4000K	82°	Aluminium	In-built	White Louvre	IP40	<19	Up: 110lm/W Down: 75lm/W	>83+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires



Image	SKU	Mounting	Wattage	Voltage	Dimensions	Length	Finish	CCT	Beam Angle	Material	Driver	Diffuser	IP Rating	UGR	Luminous Flux	CRI	Colour Deviation	Lifetime	Warranty	Luminaires Type
	FEYZ.LVUD6588	Suspended	32W	240V	(W) 65mm (H) 88mm	856mm	Black	4000K	82°	Aluminium	In-built	Black Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	32W	240V	(W) 65mm (H) 88mm	856mm	Black	4000K	82°	Aluminium	In-built	Black Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>83+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	32W	240V	(W) 65mm (H) 88mm	856mm	Black	3000K	82°	Aluminium	In-built	White Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	32W	240V	(W) 65mm (H) 88mm	856mm	Black	3000K	82°	Aluminium	In-built	White Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>83+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	32W	240V	(W) 65mm (H) 88mm	856mm	Black	3000K	82°	Aluminium	In-built	Black Louvre	Any IP Rating	<19	Up 110lm/W, Down 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	32W	240V	(W) 65mm (H) 88mm	856mm	Black	3000K	82°	Aluminium	In-built	Black Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>83+	Any Colour Deviation	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	45W	240V	(W) 65mm (H) 88mm	1136mm	White	4000K	82°	Aluminium	In-built	White Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	45W	240V	(W) 65mm (H) 88mm	1136mm	White	4000K	82°	Aluminium	In-built	White Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>83+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	45W	240V	(W) 65mm (H) 88mm	1136mm	White	4000K	82°	Aluminium	In-built	Black Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	45W	240V	(W) 62mm (H) 82mm	1136mm	White	4000K	82°	Aluminium	In-built	Black Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>83+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	45W	240V	(W) 65mm (H) 88mm	1136mm	White	3000K	82°	Aluminium	In-built	White Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	45W	240V	(W) 65mm (H) 88mm	1136mm	White	3000K	82°	Aluminium	In-built	White Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>83+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	45W	240V	(W) 65mm (H) 88mm	1136mm	White	3000K	82°	Aluminium	In-built	Black Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	45W	240V	(W) 65mm (H) 88mm	1136mm	White	3000K	82°	Aluminium	In-built	Black Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>83+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	45W	240V	(W) 65mm (H) 88mm	1136mm	Black	4000K	82°	Aluminium	In-built	White Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires



Image	SKU	Mounting	Wattage	Voltage	Dimensions	Length	Finish	CCT	Beam Angle	Material	Driver	Diffuser	IP Rating	UGR	Luminous Flux	CRI	Colour Deviation	Lifetime	Warranty	Luminaires Type
	FEYZ.LVUD6588	Suspended	45W	240V	(W) 65mm (H) 88mm	1136mm	Black	4000K	82°	Aluminium	In-built	White Louvre	IP40	<19	Up: 110lm/W Down: 75lm/W	>83+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	45W	240V	(W) 65mm (H) 88mm	1136mm	Black	4000K	82°	Aluminium	In-built	Black Louvre	IP40	<19	Up: 110lm/W Down: 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	45W	240V	(W) 65mm (H) 88mm	1136mm	Black	4000K	82°	Aluminium	In-built	Black Louvre	IP40	<19	Up: 110lm/W Down: 75lm/W	>83+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	45W	240V	(W) 65mm (H) 88mm	1136mm	Black	3000K	82°	Aluminium	In-built	White Louvre	IP40	<19	Up: 110lm/W Down: 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	45W	240V	(W) 65mm (H) 88mm	1136mm	Black	3000K	82°	Aluminium	In-built	White Louvre	IP40	<19	Up: 110lm/W Down: 75lm/W	>83+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	45W	240V	(W) 65mm (H) 88mm	1136mm	Black	3000K	82°	Aluminium	In-built	Black Louvre	IP40	<19	Up: 110lm/W Down: 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	45W	240V	(W) 65mm (H) 88mm	1136mm	Black	3000K	82°	Aluminium	In-built	Black Louvre	IP40	<19	Up: 110lm/W Down: 75lm/W	>83+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	45W	240V	(W) 65mm (H) 88mm	1136mm	Black	3000K	82°	Aluminium	In-built	White Louvre	IP40	<19	Up: 110lm/W Down: 75lm/W	>83+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	57W	240V	(W) 65mm (H) 88mm	1416mm	White	3000K	82°	Aluminium	In-built	Black Louvre	IP40	<19	Up: 110lm/W Down: 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	57W	240V	(W) 65mm (H) 88mm	1416mm	White	4000K	82°	Aluminium	In-built	White Louvre	IP40	<19	Up: 110lm/W Down: 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	57W	240V	(W) 65mm (H) 88mm	1416mm	White	4000K	82°	Aluminium	In-built	White Louvre	IP40	<19	Up: 110lm/W Down: 75lm/W	>83+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	57W	240V	(W) 65mm (H) 88mm	1416mm	White	4000K	82°	Aluminium	In-built	Black Louvre	IP40	<19	Up: 110lm/W Down: 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	57W	240V	(W) 65mm (H) 88mm	1416mm	White	4000K	82°	Aluminium	In-built	Black Louvre	IP40	<19	Up: 110lm/W Down: 75lm/W	>83+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	57W	240V	(W) 65mm (H) 88mm	1416mm	White	3000K	82°	Aluminium	In-built	White Louvre	IP40	<19	Up: 110lm/W Down: 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	57W	240V	(W) 65mm (H) 88mm	1416mm	White	3000K	82°	Aluminium	In-built	White Louvre	IP40	<19	Up: 110lm/W Down: 75lm/W	>83+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	57W	240V	(W) 65mm (H) 88mm	1416mm	White	3000K	82°	Aluminium	In-built	Black Louvre	IP40	<19	Up: 110lm/W Down: 75lm/W	>83+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires



Image	SKU	Mounting	Wattage	Voltage	Dimensions	Length	Finish	CCT	Beam Angle	Material	Driver	Diffuser	IP Rating	UGR	Luminous Flux	CRI	Colour Deviation	Lifetime	Warranty	Luminaires Type
	FEYZ.LVUD6588	Suspended	57W	240V	(W) 65mm (H) 88mm	1416mm	Black	4000K	82°	Aluminium	In-built	White Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	57W	240V	(W) 65mm (H) 88mm	1416mm	Black	4000K	82°	Aluminium	In-built	White Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>83+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	57W	240V	(W) 65mm (H) 88mm	1416mm	Black	4000K	82°	Aluminium	In-built	Black Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	57W	240V	(W) 65mm (H) 88mm	1416mm	Black	4000K	82°	Aluminium	Any Driver	Black Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>83+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	57W	240V	(W) 65mm (H) 88mm	1416mm	Black	3000K	82°	Aluminium	In-built	White Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	57W	240V	(W) 65mm (H) 88mm	1416mm	Black	3000K	82°	Aluminium	In-built	White Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>83+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	57W	240V	(W) 65mm (H) 88mm	1416mm	Black	3000K	82°	Aluminium	In-built	Black Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	57W	240V	(W) 65mm (H) 88mm	1416mm	Black	3000K	82°	Aluminium	In-built	Black Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>83+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	67W	240V	(W) 65mm (H) 88mm	1696mm	White	4000K	82°	Aluminium	In-built	White Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	67W	240V	(W) 65mm (H) 88mm	1696mm	White	4000K	82°	Aluminium	In-built	White Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>83+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	67W	240V	(W) 65mm (H) 88mm	1696mm	White	4000K	82°	Aluminium	In-built	Black Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	67W	240V	(W) 65mm (H) 88mm	1696mm	White	4000K	82°	Aluminium	In-built	Black Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>83+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	67W	240V	(W) 65mm (H) 88mm	1696mm	White	3000K	82°	Aluminium	In-built	White Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	67W	240V	(W) 65mm (H) 88mm	1696mm	White	3000K	82°	Aluminium	In-built	White Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>83+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	67W	240V	(W) 65mm (H) 88mm	1696mm	White	3000K	82°	Aluminium	In-built	Black Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires



















Image	SKU	Mounting	Wattage	Voltage	Dimensions	Length	Finish	CCT	Beam Angle	Material	Driver	Diffuser	IP Rating	UGR	Luminous Flux	CRI	Colour Deviation	Lifetime	Warranty	Luminaires Type
	FEYZ.LVUD6588	Suspended	67W	240V	(W) 65mm (H) 88mm	1696mm	White	3000K	82°	Aluminium	In-built	Black Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>83+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	67W	240V	(W) 65mm (H) 88mm	1696mm	Black	4000K	82°	Aluminium	In-built	White Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	67W	240V	(W) 65mm (H) 88mm	1696mm	Black	4000K	82°	Aluminium	In-built	White Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>83+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	67W	240V	(W) 65mm (H) 88mm	1696mm	Black	4000K	82°	Aluminium	In-built	Black Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	67W	240V	(W) 65mm (H) 88mm	1696mm	Black	4000K	82°	Aluminium	In-built	Black Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>83+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	67W	240V	(W) 65mm (H) 88mm	1696mm	Black	3000K	82°	Aluminium	In-built	White Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	67W	240V	(W) 65mm (H) 88mm	1696mm	Black	3000K	82°	Aluminium	In-built	White Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>83+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	67W	240V	(W) 65mm (H) 88mm	1696mm	Black	3000K	82°	Aluminium	In-built	Black Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	67W	240V	(W) 65mm (H) 88mm	1696mm	Black	3000K	82°	Aluminium	In-built	Black Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>83+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	67W	240V	(W) 65mm (H) 88mm	1696mm	Black	3000K	82°	Aluminium	In-built	White Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	67W	240V	(W) 65mm (H) 88mm	1696mm	Black	3000K	82°	Aluminium	In-built	Black Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>83+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	78W	240V	(W) 65mm (H) 88mm	1976mm	White	4000K	82°	Aluminium	In-built	White Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	78W	240V	(W) 65mm (H) 88mm	1976mm	White	4000K	82°	Aluminium	In-built	White Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>83+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	78W	240V	(W) 65mm (H) 88mm	1976mm	White	4000K	82°	Aluminium	In-built	Black Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	78W	240V	(W) 65mm (H) 88mm	1976mm	White	4000K	82°	Aluminium	In-built	Black Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>83+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	78W	240V	(W) 65mm (H) 88mm	1976mm	White	3000K	82°	Aluminium	In-built	White Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires



Image	SKU	Mounting	Wattage	Voltage	Dimensions	Length	Finish	CCT	Beam Angle	Material	Driver	Diffuser	IP Rating	UGR	Luminous Flux	CRI	Colour Deviation	Lifetime	Warranty	Luminaires Type
	FEYZ.LVUD6588	Suspended	78W	240V	(W) 65mm (H) 88mm	1976mm	White	3000K	82°	Aluminium	In-built	Black Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	78W	240V	(W) 65mm (H) 88mm	1976mm	White	3000K	82°	Aluminium	In-built	Black Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>83+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	78W	240V	(W) 65mm (H) 88mm	1976mm	Black	4000K	82°	Aluminium	In-built	White Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>92+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires
	FEYZ.LVUD6588	Suspended	78W	240V	(W) 65mm (H) 88mm	1976mm	Black	4000K	82°	Aluminium	In-built	White Louvre	IP40	<19	Up 110lm/W, Down 75lm/W	>83+	<3 SDCM	50,000 hours	5 years	Linear Systems - Luminaires