



<b>Mounting</b>	48V Magnetic Track
<b>Voltage</b>	DC48V
<b>Wattage</b>	15W
<b>Dimensions</b>	(D) Ø38mm x (L) 300mm
<b>Overall Length</b>	211mm
<b>Finish</b>	Black, Brass, White
<b>Inner Trim Finish</b>	Brass
<b>CCT</b>	2700K, 3000K, 4000K
<b>Beam Angle</b>	38°
<b>Material</b>	Aluminium
<b>Driver</b>	Remote
<b>IP Rating</b>	IP20
<b>Luminous Flux</b>	1005lm
<b>CRI</b>	>92+
<b>Colour Deviation</b>	<2 SDCM
<b>Lifetime</b>	50,000 hours
<b>Control Gear</b>	1-10V, DALI
<b>Warranty</b>	5 years
<b>Luminaires Type</b>	Track Mounted – Track Luminaires
<b>Luminous Flux lm</b>	1001-1500lm

Control Gear

Accessories

LOOR.LP55						
PRODUCT NAME	WATTAGE	FINISH	INNER TRIM FINISH	CCT	BEAM ANGLE	CONTROL GEAR

## VARIATIONS

Image	SKU	Mounting	Voltage	Wattage	Dimensions	Overall Length	Finish	Inner Trim Finish	CCT	Beam Angle	Material	Driver	IP Rating	Luminous Flux	CRI	Colour Deviation	Lifetime	Control Gear	Warranty
	LOOR.LP55	48V Magnetic Track	DC48V	15W	(D) Ø38mm x (L) 300mm	211mm	Black	Brass	2700K	38°	Aluminium	IP20	1005lm	>92+	<2 SDCM	50,000 hours	5 years	Remote 1-10V	
	LOOR.LP55	48V Magnetic Track	DC48V	15W	(D) Ø38mm x (L) 300mm	211mm	Black	Brass	2700K	38°	Aluminium	IP20	1005lm	>92+	<2 SDCM	50,000 hours	5 years	Remote DALI	
	LOOR.LP55	48V Magnetic Track	DC48V	15W	(D) Ø38mm x (L) 300mm	211mm	Black	Brass	3000K	38°	Aluminium	IP20	1005lm	>92+	<2 SDCM	50,000 hours	5 years	Remote 1-10V	



Image	SKU	Mounting	Voltage	Wattage	Dimensions	Overall Length	Finish	Upper Trim Finish	CCT	Beam Angle	Material	Driver	IP Rating	Luminous Flux	CRI	Colour Deviation	Lifetime	Control Gear	Warranty
	LOOR.LP55	48V Magnetic Track	DC48V	15W	(D) Ø38mm (L) 300mm	211mm	Black	Brass	3000K	38°	Aluminium	IP20	1005lm	>92+	≤2 SDCM	50,000 hours	5 years	Remote	DALI
	LOOR.LP55	48V Magnetic Track	DC48V	15W	(D) Ø38mm (L) 300mm	211mm	Black	Brass	4000K	38°	Aluminium	IP20	1005lm	>92+	≤2 SDCM	50,000 hours	5 years	Remote	1-10V
	LOOR.LP55	48V Magnetic Track	DC48V	15W	(D) Ø38mm (L) 300mm	211mm	Black	Brass	4000K	38°	Aluminium	IP20	1005lm	>92+	≤2 SDCM	50,000 hours	5 years	Remote	DALI
	LOOR.LP55	48V Magnetic Track	DC48V	15W	(D) Ø38mm (L) 300mm	211mm	Brass	Brass	2700K	38°	Aluminium	IP20	1005lm	>92+	≤2 SDCM	50,000 hours	5 years	Remote	1-10V
	LOOR.LP55	48V Magnetic Track	DC48V	15W	(D) Ø38mm (L) 300mm	211mm	Brass	Brass	2700K	38°	Aluminium	IP20	1005lm	>92+	≤2 SDCM	50,000 hours	5 years	Remote	DALI
	LOOR.LP55	48V Magnetic Track	DC48V	15W	(D) Ø38mm (L) 300mm	211mm	Brass	Brass	3000K	38°	Aluminium	IP20	1005lm	>92+	≤2 SDCM	50,000 hours	5 years	Remote	1-10V
	LOOR.LP55	48V Magnetic Track	DC48V	15W	(D) Ø38mm (L) 300mm	211mm	Brass	Brass	3000K	38°	Aluminium	IP20	1005lm	>92+	≤2 SDCM	50,000 hours	5 years	Remote	DALI
	LOOR.LP55	48V Magnetic Track	DC48V	15W	(D) Ø38mm (L) 300mm	211mm	Brass	Brass	4000K	38°	Aluminium	IP20	1005lm	>92+	≤2 SDCM	50,000 hours	5 years	Remote	1-10V
	LOOR.LP55	48V Magnetic Track	DC48V	15W	(D) Ø38mm (L) 300mm	211mm	Brass	Brass	4000K	38°	Aluminium	IP20	1005lm	>92+	≤2 SDCM	50,000 hours	5 years	Remote	DALI
	LOOR.LP55	48V Magnetic Track	DC48V	15W	(D) Ø38mm (L) 300mm	211mm	White	Brass	2700K	38°	Aluminium	IP20	1005lm	>92+	≤2 SDCM	50,000 hours	5 years	Remote	1-10V
	LOOR.LP55	48V Magnetic Track	DC48V	15W	(D) Ø38mm (L) 300mm	211mm	White	Brass	2700K	38°	Aluminium	IP20	1005lm	>92+	≤2 SDCM	50,000 hours	5 years	Remote	DALI
	LOOR.LP55	48V Magnetic Track	DC48V	15W	(D) Ø38mm (L) 300mm	211mm	White	Brass	3000K	38°	Aluminium	IP20	1005lm	>92+	≤2 SDCM	50,000 hours	5 years	Remote	1-10V
	LOOR.LP55	48V Magnetic Track	DC48V	15W	(D) Ø38mm (L) 300mm	211mm	White	Brass	3000K	38°	Aluminium	IP20	1005lm	>92+	≤2 SDCM	50,000 hours	5 years	Remote	DALI
	LOOR.LP55	48V Magnetic Track	DC48V	15W	(D) Ø38mm (L) 300mm	211mm	White	Brass	4000K	38°	Aluminium	IP20	1005lm	>92+	≤2 SDCM	50,000 hours	5 years	Remote	1-10V



Image



SKU	Mounting	Voltage	Wattage	Dimensions	Overall Length	Finish	Upper Fin Finish	CCT	Beam Angle	Material	Driver	IP Rating	Luminous Flux	CRI	Colour Deviation	Lifetime	Control Gear	Warranty
LOOR.LP55	48V Magnetic Track	DC48V	15W	(D) Ø38mm (L) 300mm	211mm	White	Brass	4000K	38°	Aluminium	IP20	1005lm	>92+	<2 SDCM	50,000 Hours	5 years	Remote	DALI