



Mounting	<u>Recessed</u>
Wattage	<u>24W</u>
Voltage	<u>240V</u>
Dimensions	(W) 112mm x (H) 140mm x (L) <u>112mm</u>
Cut Out Dimensions	(W) 100mm x (L) 100mm
Finish	<u>Black, White</u>
Inner Trim Finish	<u>Anthracite, Chrome, Custom, Matte Black, Matte Silver, Matte White</u>
CCT	<u>2700K, 3000K, 3500K, 4000K</u>
Beam Angle	<u>15°, 24°, 38°, 50°</u>
Material	<u>Aluminium</u>
Driver	<u>Remote</u>
IP Rating	<u>IP20</u>
CRI	<u>>92+</u>
UGR	<u><19</u>
Luminous Flux	<u>2040lm</u>
Colour Deviation	<u><2 SDCM</u>
Lifetime	<u>50,000 hours</u>
Accessories	<u>Honeycomb Lens, Soft Lens</u>
Control Gear	<u>DALI, Phase-Cut</u>
Warranty	<u>5 years</u>
Luminaires Type	<u>Recessed</u>
Luminous Flux lm	<u>2001-2500lm</u>

Control Gear

Accessories

Honeycomb Lens, Soft Lens

MODO.AGFS112							
PRODUCT NAME	WATTAGE	FINISH	INNER TRIM FINISH	CCT	BEAM ANGLE	CONTROL GEAR	

VARIATIONS

Image	SKU	Mounting	Wattage	Voltage	Dimensions	Cut Out Dimensions	Finish	Inner Trim Finish	CCT	Beam Angle	Material	Driver	IP Rating	CRI	UGR	Luminous Flux	Colour Deviation	Lifetime	Warranty
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm x (H) 140mm x (L) 112mm	(W) 100mm x (L) 100mm	Black	Anthracite	2700K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm x (H) 140mm x (L) 112mm	(W) 100mm x (L) 100mm	Black	Anthracite	3000K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm x (H) 140mm x (L) 112mm	(W) 100mm x (L) 100mm	Black	Anthracite	3500K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote



Image	SKU	Mounting	Wattage	Voltage	Dimensions	Cut Out Dimensions	Finish	Inner Trim Finish	CCT	Beam Angle	Material	Driver	IP Rating	CRI	UGR	Luminous Flux	Colour Deviation	Lifetime	Warranty
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (H) 30mm	Black	Anthracite	4000K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (H) 30mm	Black	Chrome	2700K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (H) 30mm	Black	Chrome	3000K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (H) 30mm	Black	Chrome	3500K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (H) 30mm	Black	Chrome	4000K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (H) 30mm	Black	Custom	2700K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (H) 30mm	Black	Custom	3000K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (H) 30mm	Black	Custom	3500K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (H) 30mm	Black	Custom	4000K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (H) 30mm	Black	Matte Black	2700K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (H) 30mm	Black	Matte Black	3000K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (H) 30mm	Black	Matte Black	3500K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (H) 30mm	Black	Matte Black	4000K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (H) 30mm	Black	Matte Gold	2700K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote



Image	SKU	Mounting	Wattage	Voltage	Dimensions	Cut Out Dimensions	Finish	Inner Trim Finish	CCT	Beam Angle	Material	Driver	IP Rating	CRI	UGR	Luminous Flux	Colour Deviation	Lifetime	Warranty
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 30mm	Black	Matte Gold	3000K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 30mm	Black	Matte Gold	3500K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 30mm	Black	Matte Gold	4000K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 30mm	Black	Matte Silver	2700K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 30mm	Black	Matte Silver	3000K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 30mm	Black	Matte Silver	3500K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 30mm	Black	Matte Silver	4000K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 30mm	Black	Matte White	2700K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 30mm	Black	Matte White	3000K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 30mm	Black	Matte White	3500K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 30mm	Black	Matte White	4000K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 30mm	White	Anthracite	2700K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 30mm	White	Anthracite	3000K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 30mm	White	Anthracite	3500K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote



Image	SKU	Mounting	Wattage	Voltage	Dimensions	Cut Out Dimensions	Finish	Inner Trim Finish	CCT	Beam Angle	Material	Driver	IP Rating	CRI	UGR	Luminous Flux	Colour Deviation	Lifetime	Warranty
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (L) 100mm	White Anthracite		4000K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (L) 100mm	White Chrome		2700K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (L) 100mm	White Chrome		3000K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (L) 100mm	White Chrome		3500K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (L) 100mm	White Chrome		4000K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (L) 100mm	White Custom		2700K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (L) 100mm	White Custom		3000K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (L) 100mm	White Custom		3500K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (L) 100mm	White Custom		4000K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (L) 100mm	White Matte Black		2700K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (L) 100mm	White Matte Black		3000K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (L) 100mm	White Matte Black		3500K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (L) 100mm	White Matte Black		4000K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (L) 100mm	White Matte Gold		2700K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote



Image	SKU	Mounting	Wattage	Voltage	Dimensions	Cut Out Dimensions	Finish	Inner Trim Finish	CCT	Beam Angle	Material	Driver	IP Rating	CRI	UGR	Luminous Flux	Colour Deviation	Lifetime	Warranty
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 30mm	White	Matte Gold	3000K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 30mm	White	Matte Gold	3500K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 30mm	White	Matte Gold	4000K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 30mm	White	Matte Silver	2700K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 30mm	White	Matte Silver	3000K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 30mm	White	Matte Silver	3500K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 30mm	White	Matte Silver	4000K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 30mm	White	Matte White	2700K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 30mm	White	Matte White	3000K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 30mm	White	Matte White	3500K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 30mm	White	Matte White	4000K	50°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 30mm	Black	Anthracite	2700K	15°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 30mm	Black	Anthracite	2700K	24°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 30mm	Black	Anthracite	2700K	38°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote



Image	SKU	Mounting	Wattage	Voltage	Dimensions	Cut Out Dimensions	Finish	Upper Trim Finish	CCT	Beam Angle	Material	Driver	IP Rating	CRI	UGR	Luminous Flux	Colour Deviation	Lifetime	Warranty
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	Black	Anthracite	3000K	15°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	Black	Anthracite	3000K	24°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	Black	Anthracite	3000K	38°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	Black	Anthracite	3500K	15°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	Black	Anthracite	3500K	24°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	Black	Anthracite	3500K	38°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	Black	Anthracite	4000K	15°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	Black	Anthracite	4000K	24°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	Black	Anthracite	4000K	38°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	Black	Chrome	2700K	15°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	Black	Chrome	2700K	24°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	Black	Chrome	2700K	38°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	Black	Chrome	3000K	15°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	Black	Chrome	3000K	24°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote



Image	SKU	Mounting	Wattage	Voltage	Dimensions	Cut Out Dimensions	Finish	Inner Trim Finish	CCT	Beam Angle	Material	Driver	IP Rating	CRI	UGR	Luminous Flux	Colour Deviation	Lifetime	Warranty
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (L) 100mm	Black	Chrome	3000K	38°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (L) 100mm	Black	Chrome	3500K	15°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (L) 100mm	Black	Chrome	3500K	24°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (L) 100mm	Black	Chrome	3500K	38°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (L) 100mm	Black	Chrome	4000K	15°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (L) 100mm	Black	Chrome	4000K	24°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (L) 100mm	Black	Chrome	4000K	38°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (L) 100mm	Black	Custom	2700K	15°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (L) 100mm	Black	Custom	2700K	24°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (L) 100mm	Black	Custom	2700K	38°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (L) 100mm	Black	Custom	3000K	15°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (L) 100mm	Black	Custom	3000K	24°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (L) 100mm	Black	Custom	3000K	38°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (L) 100mm	Black	Custom	3500K	15°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote



Image	SKU	Mounting	Wattage	Voltage	Dimensions	Cut Out Dimensions	Finish	Inner Trim Finish	CCT	Beam Angle	Material	Driver	IP Rating	CRI	UGR	Luminous Flux	Colour Deviation	Lifetime	Warranty
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	Black	Custom	3500K	24°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	Black	Custom	3500K	38°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	Black	Custom	4000K	15°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	Black	Custom	4000K	24°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	Black	Custom	4000K	38°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	Black	Matte Black	2700K	15°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	Black	Matte Black	2700K	24°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	Black	Matte Black	2700K	38°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	Black	Matte Black	3000K	15°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	Black	Matte Black	3000K	24°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	Black	Matte Black	3000K	38°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	Black	Matte Black	3500K	15°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	Black	Matte Black	3500K	24°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	Black	Matte Black	3500K	38°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote



Image	SKU	Mounting	Wattage	Voltage	Dimensions	Cut Out Dimensions	Finish	Inner Trim Finish	CCT	Beam Angle	Material	Driver	IP Rating	CRI	UGR	Luminous Flux	Colour Deviation	Lifetime	Warranty
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 100mm	Black	Matte Black	4000K	15°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 100mm	Black	Matte Black	4000K	24°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 100mm	Black	Matte Black	4000K	38°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 100mm	Black	Matte Gold	2700K	15°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 100mm	Black	Matte Gold	2700K	24°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 100mm	Black	Matte Gold	2700K	38°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 100mm	Black	Matte Gold	3000K	15°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 100mm	Black	Matte Gold	3000K	24°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 100mm	Black	Matte Gold	3000K	38°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 100mm	Black	Matte Gold	3500K	15°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 100mm	Black	Matte Gold	3500K	24°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 100mm	Black	Matte Gold	3500K	38°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 100mm	Black	Matte Gold	4000K	15°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 100mm	Black	Matte Gold	4000K	24°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote



Image	SKU	Mounting	Wattage	Voltage	Dimensions	Cut Out Dimensions	Finish	Inner Trim Finish	CCT	Beam Angle	Material	Driver	IP Rating	CRI	UGR	Luminous Flux	Colour Deviation	Lifetime	Warranty
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	Black	Matte Gold	4000K	38°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	Black	Matte Silver	2700K	15°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	Black	Matte Silver	2700K	24°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	Black	Matte Silver	2700K	38°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	Black	Matte Silver	3000K	15°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	Black	Matte Silver	3000K	24°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	Black	Matte Silver	3000K	38°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	Black	Matte Silver	3500K	15°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	Black	Matte Silver	3500K	24°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	Black	Matte Silver	3500K	38°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	Black	Matte Silver	4000K	15°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	Black	Matte Silver	4000K	24°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	Black	Matte Silver	4000K	38°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	Black	Matte White	2700K	15°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote



Image	SKU	Mounting	Wattage	Voltage	Dimensions	Cut Out Dimensions	Finish	Inner Trim Finish	CCT	Beam Angle	Material	Driver	IP Rating	CRI	UGR	Luminous Flux	Colour Deviation	Lifetime	Warranty
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	Black	Matte White	2700K	24°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	Black	Matte White	2700K	38°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	Black	Matte White	3000K	15°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	Black	Matte White	3000K	24°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	Black	Matte White	3000K	38°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	Black	Matte White	3500K	15°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	Black	Matte White	3500K	24°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	Black	Matte White	3500K	38°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	Black	Matte White	4000K	15°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	Black	Matte White	4000K	24°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	Black	Matte White	4000K	38°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	White Anthracite	2700K	15°	2700K	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	White Anthracite	2700K	24°	2700K	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	White Anthracite	2700K	38°	2700K	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote



Image	SKU	Mounting	Wattage	Voltage	Dimensions	Cut Out Dimensions	Finish	Upper Trim Finish	CCT	Beam Angle	Material	Driver	IP Rating	CRI	UGR	Luminous Flux	Colour Deviation	Lifetime	Warranty
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (H) 30mm	White Anthracite		3000K	15°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (H) 30mm	White Anthracite		3000K	24°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (H) 30mm	White Anthracite		3000K	38°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (H) 30mm	White Anthracite		3500K	15°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (H) 30mm	White Anthracite		3500K	24°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (H) 30mm	White Anthracite		3500K	38°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (H) 30mm	White Anthracite		4000K	15°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (H) 30mm	White Anthracite		4000K	24°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (H) 30mm	White Anthracite		4000K	38°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (H) 30mm	White Chrome		2700K	15°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (H) 30mm	White Chrome		2700K	24°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (H) 30mm	White Chrome		2700K	38°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (H) 30mm	White Chrome		3000K	15°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (H) 30mm	White Chrome		3000K	24°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote



Image	SKU	Mounting	Wattage	Voltage	Dimensions	Cut Out Dimensions	Finish	Upper Fin Finish	CCT	Beam Angle	Material	Driver	IP Rating	CRI	UGR	Luminous Flux	Colour Deviation	Lifetime	Warranty
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (L) 100mm	White	Chrome	3000K	38°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (L) 100mm	White	Chrome	3500K	15°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (L) 100mm	White	Chrome	3500K	24°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (L) 100mm	White	Chrome	3500K	38°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (L) 100mm	White	Chrome	4000K	15°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (L) 100mm	White	Chrome	4000K	24°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (L) 100mm	White	Chrome	4000K	38°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (L) 100mm	White	Custom	2700K	15°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (L) 100mm	White	Custom	2700K	24°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (L) 100mm	White	Custom	2700K	38°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (L) 100mm	White	Custom	3000K	15°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (L) 100mm	White	Custom	3000K	24°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (L) 100mm	White	Custom	3000K	38°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm (L) 112mm	(W) 100mm (L) 100mm	White	Custom	3500K	15°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote



Image	SKU	Mounting	Wattage	Voltage	Dimensions	Cut Out Dimensions	Finish	Inner Trim Finish	CCT	Beam Angle	Material	Driver	IP Rating	CRI	UGR	Luminous Flux	Colour Deviation	Lifetime	Warranty
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	White	Custom	3500K	24°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	White	Custom	3500K	38°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	White	Custom	4000K	15°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	White	Custom	4000K	24°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	White	Custom	4000K	38°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	White	Matte Black	2700K	15°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	White	Matte Black	2700K	24°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	White	Matte Black	2700K	38°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	White	Matte Black	3000K	15°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	White	Matte Black	3000K	24°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	White	Matte Black	3000K	38°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	White	Matte Black	3500K	15°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	White	Matte Black	3500K	24°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	White	Matte Black	3500K	38°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote



Image	SKU	Mounting	Wattage	Voltage	Dimensions	Cut Out Dimensions	Finish	Inner Trim Finish	CCT	Beam Angle	Material	Driver	IP Rating	CRI	UGR	Luminous Flux	Colour Deviation	Lifetime	Warranty
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 30mm	White	Matte Black	4000K	15°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 30mm	White	Matte Black	4000K	24°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 30mm	White	Matte Black	4000K	38°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 30mm	White	Matte Gold	2700K	15°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 30mm	White	Matte Gold	2700K	24°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 30mm	White	Matte Gold	2700K	38°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 30mm	White	Matte Gold	3000K	15°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 30mm	White	Matte Gold	3000K	24°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 30mm	White	Matte Gold	3000K	38°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 30mm	White	Matte Gold	3500K	15°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 30mm	White	Matte Gold	3500K	24°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 30mm	White	Matte Gold	3500K	38°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 30mm	White	Matte Gold	4000K	15°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (H) 30mm	White	Matte Gold	4000K	24°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote



Image	SKU	Mounting	Wattage	Voltage	Dimensions	Cut Out Dimensions	Finish	Inner Trim Finish	CCT	Beam Angle	Material	Driver	IP Rating	CRI	UGR	Luminous Flux	Colour Deviation	Lifetime	Warranty
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	White	Matte Gold	4000K	38°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	White	Matte Silver	2700K	15°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	White	Matte Silver	2700K	24°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	White	Matte Silver	2700K	38°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	White	Matte Silver	3000K	15°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	White	Matte Silver	3000K	24°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	White	Matte Silver	3000K	38°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	White	Matte Silver	3500K	15°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	White	Matte Silver	3500K	24°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	White	Matte Silver	3500K	38°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	White	Matte Silver	4000K	15°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	White	Matte Silver	4000K	24°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	White	Matte Silver	4000K	38°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	White	Matte White	2700K	15°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote



Image	SKU	Mounting	Wattage	Voltage	Dimensions	Cut Out Dimensions	Finish	Inner Trim Finish	CCT	Beam Angle	Material	Driver	IP Rating	CRI	UGR	Luminous Flux	Colour Deviation	Lifetime	Warranty
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	White	Matte White	2700K	24°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	White	Matte White	2700K	38°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	White	Matte White	3000K	15°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	White	Matte White	3000K	24°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	White	Matte White	3000K	38°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	White	Matte White	3500K	15°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	White	Matte White	3500K	24°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	White	Matte White	3500K	38°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	White	Matte White	4000K	15°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	White	Matte White	4000K	24°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote
	MODO.AGFS112	Recessed	24W	240V	(H) 112mm (W) 140mm x (L) 112mm	(H) 100mm (W) 100mm	White	Matte White	4000K	38°	Aluminium	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years	Remote