

LS

MODO.AGTS112.....

MODO.ANTI-GLARE TILT S112

Collections, Luminaires Type, Modos, Recessed



Mounting	Recessed
Wattage	24W
Voltage	240V
Dimensions	(W) 112mm x (H) 140mm x (L) 112mm
Cut Out Dimensions	(W) 100mm x (L) 100mm
Finish	Black, White
Inner Trim Finish	Anthracite, Chrome, Custom, Matte Black, Matte Silver, Matte White
CCT	2700K, 3000K, 3500K, 4000K
Beam Angle	15°, 24°, 38°, 50°
Material	Aluminium
Driver	Remote
IP Rating	IP20
CRI	>92+
UGR	<19
Luminous Flux	2040lm
Colour Deviation	<2 SDCM
Lifetime	50,000 hours
Accessories	Honeycomb Lense, Soft Lense
Control Gear	DALI, TRIAC
Warranty	5 years
Luminaires Type	Recessed
Luminous Flux lm	2001-2500lm

Control Gear

Accessories
Honeycomb Lense, Soft Lense

MODO.AGTS112						
PRODUCT NAME	WATTAGE	FINISH	INNER TRIM FINISH	CCT	BEAM ANGLE	CONTROL GEAR

VARIATIONS

Image	SKU	Mounting	Wattage	Voltage	Dimensions	Cut Out Dimensions	Finish	Inner Trim Finish	CCT	Beam Angle	Material	Driver	IP Rating	CRI	UGR	Luminous Flux	Colour Deviation	Lifetime	Warranty
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm x (H) 140mm x (L) 112mm	(W) 100mm x (L) 100mm	Black	Anthracite	2700K	50°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm x (H) 140mm x (L) 112mm	(W) 100mm x (L) 100mm	Black	Anthracite	3000K	50°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm x (H) 140mm x (L) 112mm	(W) 100mm x (L) 100mm	Black	Anthracite	3500K	50°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years



Image	SKU	Mounting	Wattage	Voltage	Dimensions	Cut Out Dimensions	Finish	Inner Trim Finish	CCT	Beam Angle	Material	Driver	IP Rating	CRI	UGR	Luminous Flux	Colour Deviation	Lifetime	Warranty
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Anthracite	4000K	50°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Chrome	2700K	50°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Chrome	3000K	50°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Chrome	3500K	50°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Chrome	4000K	50°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Custom	2700K	50°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Custom	3000K	50°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Custom	3500K	50°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Custom	4000K	50°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Matte Black	2700K	50°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Matte Black	3000K	50°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Matte Black	3500K	50°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Matte Black	4000K	50°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Matte Silver	2700K	50°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years



Image	SKU	Mounting	Wattage	Voltage	Dimensions	Cut Out Dimensions	Finish	Upper Fin Finish	CCT	Beam Angle	Material	Driver	IP Rating	CRI	UGR	Luminous Flux	Colour Deviation	Lifetime	Warranty
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Matte Silver	3000K	50°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Matte Silver	3500K	50°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Matte Silver	4000K	50°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Matte White	2700K	50°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Matte White	3000K	50°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Matte White	3500K	50°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Matte White	4000K	50°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Anthracite	2700K	50°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Anthracite	3000K	50°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Anthracite	3500K	50°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Anthracite	4000K	50°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Chrome	2700K	50°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Chrome	3000K	50°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Chrome	3500K	50°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years



Image	SKU	Mounting	Wattage	Voltage	Dimensions	Cut Out Dimensions	Finish	Inner Trim Finish	CCT	Beam Angle	Material	Driver	IP Rating	CRI	UGR	Luminous Flux	Colour Deviation	Lifetime	Warranty
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Chrome	4000K	50°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Custom	2700K	50°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Custom	3000K	50°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Custom	3500K	50°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Custom	4000K	50°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Matte Black	2700K	50°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Matte Black	3000K	50°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Matte Black	3500K	50°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Matte Black	4000K	50°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Matte Silver	2700K	50°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Matte Silver	3000K	50°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Matte Silver	3500K	50°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Matte Silver	4000K	50°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Matte White	2700K	50°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years



Image	SKU	Mounting	Wattage	Voltage	Dimensions	Cut Out Dimensions	Finish	Inner Trim Finish	CCT	Beam Angle	Material	Driver	IP Rating	CRI	UGR	Luminous Flux	Colour Deviation	Lifetime	Warranty
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Matte White	3000K	50°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Matte White	3500K	50°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Matte White	4000K	50°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Anthracite	2700K	15°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Anthracite	2700K	24°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Anthracite	2700K	38°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Anthracite	3000K	15°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Anthracite	3000K	24°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Anthracite	3000K	38°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Anthracite	3500K	15°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Anthracite	3500K	24°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Anthracite	3500K	38°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Anthracite	4000K	15°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Anthracite	4000K	24°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years



Image	SKU	Mounting	Wattage	Voltage	Dimensions	Cut Out Dimensions	Finish	Inner Trim Finish	CCT	Beam Angle	Material	Driver	IP Rating	CRI	UGR	Luminous Flux	Colour Deviation	Lifetime	Warranty
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Anthracite	4000K	38°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Chrome	2700K	15°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Chrome	2700K	24°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Chrome	2700K	38°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Chrome	3000K	15°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Chrome	3000K	24°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Chrome	3000K	38°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Chrome	3500K	15°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Chrome	3500K	24°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Chrome	3500K	38°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Chrome	4000K	15°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Chrome	4000K	24°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Chrome	4000K	38°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Custom	2700K	15°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years



Image	SKU	Mounting	Wattage	Voltage	Dimensions	Cut Out Dimensions	Finish	Inner Trim Finish	CCT	Beam Angle	Material	Driver	IP Rating	CRI	UGR	Luminous Flux	Colour Deviation	Lifetime	Warranty
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Custom	2700K	24°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Custom	2700K	38°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Custom	3000K	15°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Custom	3000K	24°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Custom	3000K	38°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Custom	3500K	15°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Custom	3500K	24°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Custom	3500K	38°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Custom	4000K	15°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Custom	4000K	24°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Custom	4000K	38°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Matte Black	2700K	15°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Matte Black	2700K	24°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Matte Black	2700K	38°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years



Image	SKU	Mounting	Wattage	Voltage	Dimensions	Cut Out Dimensions	Finish	Inner Trim Finish	CCT	Beam Angle	Material	Driver	IP Rating	CRI	UGR	Luminous Flux	Colour Deviation	Lifetime	Warranty
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Matte Black	3000K	15°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Matte Black	3000K	24°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Matte Black	3000K	38°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Matte Black	3500K	15°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Matte Black	3500K	24°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Matte Black	3500K	38°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Matte Black	4000K	15°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Matte Black	4000K	24°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Matte Black	4000K	38°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Matte Silver	2700K	15°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Matte Silver	2700K	24°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Matte Silver	2700K	38°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Matte Silver	3000K	15°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Matte Silver	3000K	24°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years



Image	SKU	Mounting	Wattage	Voltage	Dimensions	Cut Out Dimensions	Finish	Inner Trim Finish	CCT	Beam Angle	Material	Driver	IP Rating	CRI	UGR	Luminous Flux	Colour Deviation	Lifetime	Warranty
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Matte Silver	3000K	38°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Matte Silver	3500K	15°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Matte Silver	3500K	24°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Matte Silver	3500K	38°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Matte Silver	4000K	15°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Matte Silver	4000K	24°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Matte Silver	4000K	38°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Matte White	2700K	15°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Matte White	2700K	24°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Matte White	2700K	38°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Matte White	3000K	15°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Matte White	3000K	24°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Matte White	3000K	38°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Matte White	3500K	15°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years



Image	SKU	Mounting	Wattage	Voltage	Dimensions	Cut Out Dimensions	Finish	Inner Trim Finish	CCT	Beam Angle	Material	Driver	IP Rating	CRI	UGR	Luminous Flux	Colour Deviation	Lifetime	Warranty
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Matte White	3500K	24°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Matte White	3500K	38°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Matte White	4000K	15°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Matte White	4000K	24°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	Black	Matte White	4000K	38°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White Anthracite	2700K	15°		Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White Anthracite	2700K	24°		Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White Anthracite	2700K	38°		Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White Anthracite	3000K	15°		Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White Anthracite	3000K	24°		Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White Anthracite	3000K	38°		Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White Anthracite	3500K	15°		Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White Anthracite	3500K	24°		Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White Anthracite	3500K	38°		Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years



Image	SKU	Mounting	Wattage	Voltage	Dimensions	Cut Out Dimensions	Finish	Inner Trim Finish	CCT	Beam Angle	Material	Driver	IP Rating	CRI	UGR	Luminous Flux	Colour Deviation	Lifetime	Warranty
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White Anthracite		4000K	15°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White Anthracite		4000K	24°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White Anthracite		4000K	38°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White Chrome		2700K	15°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White Chrome		2700K	24°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White Chrome		2700K	38°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White Chrome		3000K	15°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White Chrome		3000K	24°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White Chrome		3000K	38°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White Chrome		3500K	15°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White Chrome		3500K	24°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White Chrome		3500K	38°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White Chrome		4000K	15°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White Chrome		4000K	24°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years



Image	SKU	Mounting	Wattage	Voltage	Dimensions	Cut Out Dimensions	Finish	Inner Trim Finish	CCT	Beam Angle	Material	Driver	IP Rating	CRI	UGR	Luminous Flux	Colour Deviation	Lifetime	Warranty
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Chrome	4000K	38°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Custom	2700K	15°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Custom	2700K	24°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Custom	2700K	38°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Custom	3000K	15°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Custom	3000K	24°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Custom	3000K	38°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Custom	3500K	15°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Custom	3500K	24°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Custom	3500K	38°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Custom	4000K	15°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Custom	4000K	24°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Custom	4000K	38°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Matte Black	2700K	15°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years




Image	SKU	Mounting	Wattage	Voltage	Dimensions	Cut Out Dimensions	Finish	Inner Trim Finish	CCT	Beam Angle	Material	Driver	IP Rating	CRI	UGR	Luminous Flux	Colour Deviation	Lifetime	Warranty
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Matte Black	2700K	24°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Matte Black	2700K	38°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Matte Black	3000K	15°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Matte Black	3000K	24°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Matte Black	3000K	38°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Matte Black	3500K	15°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Matte Black	3500K	24°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Matte Black	3500K	38°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Matte Black	4000K	15°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Matte Black	4000K	24°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Matte Black	4000K	38°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Matte Silver	2700K	15°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Matte Silver	2700K	24°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Matte Silver	2700K	38°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years



Image	SKU	Mounting	Wattage	Voltage	Dimensions	Cut Out Dimensions	Finish	Inner Trim Finish	CCT	Beam Angle	Material	Driver	IP Rating	CRI	UGR	Luminous Flux	Colour Deviation	Lifetime	Warranty
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Matte Silver	3000K	15°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Matte Silver	3000K	24°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Matte Silver	3000K	38°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Matte Silver	3500K	15°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Matte Silver	3500K	24°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Matte Silver	3500K	38°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Matte Silver	4000K	15°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Matte Silver	4000K	24°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Matte Silver	4000K	38°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Matte White	2700K	15°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Matte White	2700K	24°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Matte White	2700K	38°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Matte White	3000K	15°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Matte White	3000K	24°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years



Image	SKU	Mounting	Wattage	Voltage	Dimensions	Cut Out Dimensions	Finish	Inner Trim Finish	CCT	Beam Angle	Material	Driver	IP Rating	CRI	UGR	Luminous Flux	Colour Deviation	Lifetime	Warranty
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Matte White	3000K	38°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Matte White	3500K	15°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Matte White	3500K	24°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Matte White	3500K	38°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Matte White	4000K	15°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Matte White	4000K	24°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years
	MODO.AGTS112	Recessed	24W	240V	(W) 112mm (H) 40mm x (L) 112mm	(W) 100mm (L) 100mm	White	Matte White	4000K	38°	Aluminium	Remote	IP20	>92+	<19	2040lm	<2 SDCM	50,000 hours	5 years