



MODO ANTI-GLARE TRIMLESS FIXED R62

MODO.AGTFR062.....

Collections, Luminaires Type, Modo, Recessed



Mounting	Plaster Recessed
Wattage	6W
Voltage	240V
Dimensions	(D) Ø85mm x (H) 81mm
Cut Out Dimensions	(D) Ø55mm
Finish	Black, White
Inner Trim Finish	Anthracite, Chrome, Custom, Matte Black, Matte Silver, Matte White
CCT	2700K, 3000K, 3500K, 4000K
Beam Angle	20°, 35°
Material	Aluminium
Driver	Remote
IP Rating	IP20
UGR	<19
Luminous Flux	510lm
CRI	>92+
Colour Deviation	<2 SDCM
Lifetime	50,000 hours
Accessories	Honeycomb Lense, Soft Lense
Control Gear	DALI, TRIAC
Warranty	5 years
Luminaires Type	Recessed
Luminous Flux lm	501-1000lm

Control Gear

Accessories
Honeycomb Lense, Soft Lense

MODO.AGTFR062						
PRODUCT NAME	WATTAGE	FINISH	INNER TRIM FINISH	CCT	BEAM ANGLE	CONTROL GEAR

VARIATIONS

Image	SKU	Mounting	Wattage	Voltage	Dimensions	Cut Out Dimensions	Finish	Inner Trim Finish	CCT	Beam Angle	Material	Driver	IP Rating	UGR	Luminous Flux	CRI	Colour Deviation	Lifetime	Warranty
	MODO.AGTFR062	Plaster Recessed	6W	240V	(D) Ø85mm x (H) 81mm	(D) Ø55mm	Black	Anthracite	2700K	15°	Aluminium	Remote	IP20	<19	510lm	>92+	<2 SDCM	50,000 hours	5 years
	MODO.AGTFR062	Plaster Recessed	6W	240V	(D) Ø85mm x (H) 81mm	(D) Ø55mm	Black	Anthracite	2700K	24°	Aluminium	Remote	IP20	<19	510lm	>92+	<2 SDCM	50,000 hours	5 years
	MODO.AGTFR062	Plaster Recessed	6W	240V	(D) Ø85mm x (H) 81mm	(D) Ø55mm	Black	Anthracite	2700K	38°	Aluminium	Remote	IP20	<19	510lm	>92+	<2 SDCM	50,000 hours	5 years





Image	SKU	Mounting	Wattage	Voltage	Dimensions	Cut Out Dimensions	Finish	Upper trim Finish	CCT	Beam Angle	Material	Driver	IP Rating	UGR	Luminous Flux	CRI	Colour Deviation	Lifetime	Warranty
	MODO.AGTFR062	Plaster Recessed	6W	240V	(D) Ø85mm (H) 81mm	(D) Ø55mm	Black	Anthracite	3000K	15°	Aluminium	Remote	IP20	<19	510lm	>92+	<2 SDCM	50,000 hours	5 years
	MODO.AGTFR062	Plaster Recessed	6W	240V	(D) Ø85mm (H) 81mm	(D) Ø55mm	Black	Anthracite	3000K	24°	Aluminium	Remote	IP20	<19	510lm	>92+	<2 SDCM	50,000 hours	5 years
	MODO.AGTFR062	Plaster Recessed	6W	240V	(D) Ø85mm (H) 81mm	(D) Ø55mm	Black	Anthracite	3000K	38°	Aluminium	Remote	IP20	<19	510lm	>92+	<2 SDCM	50,000 hours	5 years
	MODO.AGTFR062	Plaster Recessed	6W	240V	(D) Ø85mm (H) 81mm	(D) Ø55mm	Black	Anthracite	3500K	15°	Aluminium	Remote	IP20	<19	510lm	>92+	<2 SDCM	50,000 hours	5 years
	MODO.AGTFR062	Plaster Recessed	6W	240V	(D) Ø85mm (H) 81mm	(D) Ø55mm	Black	Anthracite	3500K	24°	Aluminium	Remote	IP20	<19	510lm	>92+	<2 SDCM	50,000 hours	5 years
	MODO.AGTFR062	Plaster Recessed	6W	240V	(D) Ø85mm (H) 81mm	(D) Ø55mm	Black	Anthracite	3500K	38°	Aluminium	Remote	IP20	<19	510lm	>92+	<2 SDCM	50,000 hours	5 years
	MODO.AGTFR062	Plaster Recessed	6W	240V	(D) Ø85mm (H) 81mm	(D) Ø55mm	Black	Anthracite	4000K	15°	Aluminium	Remote	IP20	<19	510lm	>92+	<2 SDCM	50,000 hours	5 years
	MODO.AGTFR062	Plaster Recessed	6W	240V	(D) Ø85mm (H) 81mm	(D) Ø55mm	Black	Anthracite	4000K	24°	Aluminium	Remote	IP20	<19	510lm	>92+	<3 SDCM	50,000 hours	5 years
	MODO.AGTFR062	Plaster Recessed	6W	240V	(D) Ø85mm (H) 81mm	(D) Ø55mm	Black	Anthracite	4000K	38°	Aluminium	Remote	IP20	<19	510lm	>92+	<2 SDCM	50,000 hours	5 years
	MODO.AGTFR062	Plaster Recessed	6W	240V	(D) Ø85mm (H) 81mm	(D) Ø55mm	Black	Chrome	2700K	15°	Aluminium	Remote	IP20	<19	510lm	>92+	<2 SDCM	50,000 hours	5 years
	MODO.AGTFR062	Plaster Recessed	6W	240V	(D) Ø85mm (H) 81mm	(D) Ø55mm	Black	Chrome	2700K	24°	Aluminium	Remote	IP20	<19	510lm	>92+	<2 SDCM	50,000 hours	5 years
	MODO.AGTFR062	Plaster Recessed	6W	240V	(D) Ø85mm (H) 81mm	(D) Ø55mm	Black	Chrome	2700K	38°	Aluminium	Remote	IP20	<19	510lm	>92+	<2 SDCM	50,000 hours	5 years
	MODO.AGTFR062	Plaster Recessed	6W	240V	(D) Ø85mm (H) 81mm	(D) Ø55mm	Black	Chrome	3000K	15°	Aluminium	Remote	IP20	<19	510lm	>92+	<2 SDCM	50,000 hours	5 years
	MODO.AGTFR062	Plaster Recessed	6W	240V	(D) Ø85mm (H) 81mm	(D) Ø55mm	Black	Chrome	3000K	24°	Aluminium	Remote	IP20	<19	510lm	>92+	<2 SDCM	50,000 hours	5 years



Image	SKU	Mounting	Wattage	Voltage	Dimensions	Cut Out Dimensions	Finish	Upper trim Finish	CCT	Beam Angle	Material	Driver	IP Rating	UGR	Luminous Flux	CRI	Colour Deviation	Lifetime	Warranty
	MODO.AGTFR062	Plaster Recessed	6W	240V	(D) Ø85mm (H) 81mm	(D) Ø55mm	Black	Chrome	3000K	38°	Aluminium	Remote	IP20	<19	510lm	>92+	<2 SDCM	50,000 hours	5 years
	MODO.AGTFR062	Plaster Recessed	6W	240V	(D) Ø85mm (H) 81mm	(D) Ø55mm	Black	Chrome	3500K	15°	Aluminium	Remote	IP20	<19	510lm	>92+	<2 SDCM	50,000 hours	5 years
	MODO.AGTFR062	Plaster Recessed	6W	240V	(D) Ø85mm (H) 81mm	(D) Ø55mm	Black	Chrome	3500K	24°	Aluminium	Remote	IP20	<19	510lm	>92+	<2 SDCM	50,000 hours	5 years
	MODO.AGTFR062	Plaster Recessed	6W	240V	(D) Ø85mm (H) 81mm	(D) Ø55mm	Black	Chrome	3500K	38°	Aluminium	Remote	IP20	<19	510lm	>92+	<2 SDCM	50,000 hours	5 years
	MODO.AGTFR062	Plaster Recessed	6W	240V	(D) Ø85mm (H) 81mm	(D) Ø55mm	Black	Chrome	4000K	15°	Aluminium	Remote	IP20	<19	510lm	>92+	<2 SDCM	50,000 hours	5 years
	MODO.AGTFR062	Plaster Recessed	6W	240V	(D) Ø85mm (H) 81mm	(D) Ø55mm	Black	Chrome	4000K	24°	Aluminium	Remote	IP20	<19	510lm	>92+	<2 SDCM	50,000 hours	5 years
	MODO.AGTFR062	Plaster Recessed	6W	240V	(D) Ø85mm (H) 81mm	(D) Ø55mm	Black	Chrome	4000K	38°	Aluminium	Remote	IP20	<19	510lm	>92+	<2 SDCM	50,000 hours	5 years
	MODO.AGTFR062	Plaster Recessed	6W	240V	(D) Ø85mm (H) 81mm	(D) Ø55mm	Black	Custom	2700K	15°	Aluminium	Remote	IP20	<19	510lm	>92+	<2 SDCM	50,000 hours	5 years
	MODO.AGTFR062	Plaster Recessed	6W	240V	(D) Ø85mm (H) 81mm	(D) Ø55mm	Black	Custom	2700K	24°	Aluminium	Remote	IP20	<19	510lm	>92+	<2 SDCM	50,000 hours	5 years
	MODO.AGTFR062	Plaster Recessed	6W	240V	(D) Ø85mm (H) 81mm	(D) Ø55mm	Black	Custom	2700K	38°	Aluminium	Remote	IP20	<19	510lm	>92+	<2 SDCM	50,000 hours	5 years
	MODO.AGTFR062	Plaster Recessed	6W	240V	(D) Ø85mm (H) 81mm	(D) Ø55mm	Black	Custom	3000K	15°	Aluminium	Remote	IP20	<19	510lm	>92+	<2 SDCM	50,000 hours	5 years
	MODO.AGTFR062	Plaster Recessed	6W	240V	(D) Ø85mm (H) 81mm	(D) Ø55mm	Black	Custom	3000K	24°	Aluminium	Remote	IP20	<19	510lm	>92+	<2 SDCM	50,000 hours	5 years
	MODO.AGTFR062	Plaster Recessed	6W	240V	(D) Ø85mm (H) 81mm	(D) Ø55mm	Black	Custom	3000K	38°	Aluminium	Remote	IP20	<19	510lm	>92+	<2 SDCM	50,000 hours	5 years
	MODO.AGTFR062	Plaster Recessed	6W	240V	(D) Ø85mm (H) 81mm	(D) Ø55mm	Black	Custom	3500K	15°	Aluminium	Remote	IP20	<19	510lm	>92+	<2 SDCM	50,000 hours	5 years



Image	SKU	Mounting	Wattage	Voltage	Dimensions	Cut Out Dimensions	Finish	Upper trim Finish	CCT	Beam Angle	Material	Driver	IP Rating	UGR	Luminous Flux	CRI	Colour Deviation	Lifetime	Warranty
	MODO.AGTFR062	Plaster Recessed	6W	240V	(D) Ø85mm (H) 81mm	(D) Ø55mm	Black	Custom	3500K	24°	Aluminium	Remote	IP20	<19	510lm	>92+	<2 SDCM	50,000 hours	5 years
	MODO.AGTFR062	Plaster Recessed	6W	240V	(D) Ø85mm (H) 81mm	(D) Ø55mm	Black	Custom	3500K	38°	Aluminium	Remote	IP20	<19	510lm	>92+	<2 SDCM	50,000 hours	5 years
	MODO.AGTFR062	Plaster Recessed	6W	240V	(D) Ø85mm (H) 81mm	(D) Ø55mm	Black	Custom	4000K	15°	Aluminium	Remote	IP20	<19	510lm	>92+	<2 SDCM	50,000 hours	5 years
	MODO.AGTFR062	Plaster Recessed	6W	240V	(D) Ø85mm (H) 81mm	(D) Ø55mm	Black	Custom	4000K	24°	Aluminium	Remote	IP20	<19	510lm	>92+	<2 SDCM	50,000 hours	5 years
	MODO.AGTFR062	Plaster Recessed	6W	240V	(D) Ø85mm (H) 81mm	(D) Ø55mm	Black	Custom	4000K	38°	Aluminium	Remote	IP20	<19	510lm	>92+	<2 SDCM	50,000 hours	5 years
	MODO.AGTFR062	Plaster Recessed	6W	240V	(D) Ø85mm (H) 81mm	(D) Ø55mm	Black	Matte Black	2700K	15°	Aluminium	Remote	IP20	<19	510lm	>92+	<2 SDCM	50,000 hours	5 years
	MODO.AGTFR062	Plaster Recessed	6W	240V	(D) Ø85mm (H) 81mm	(D) Ø55mm	Black	Matte Black	2700K	24°	Aluminium	Remote	IP20	<19	510lm	>92+	<2 SDCM	50,000 hours	5 years
	MODO.AGTFR062	Plaster Recessed	6W	240V	(D) Ø85mm (H) 81mm	(D) Ø55mm	Black	Matte Black	2700K	38°	Aluminium	Remote	IP20	<19	510lm	>92+	<2 SDCM	50,000 hours	5 years
	MODO.AGTFR062	Plaster Recessed	6W	240V	(D) Ø85mm (H) 81mm	(D) Ø55mm	Black	Matte Black	3000K	15°	Aluminium	Remote	IP20	<19	510lm	>92+	<2 SDCM	50,000 hours	5 years
	MODO.AGTFR062	Plaster Recessed	6W	240V	(D) Ø85mm (H) 81mm	(D) Ø55mm	Black	Matte Black	3000K	24°	Aluminium	Remote	IP20	<19	510lm	>92+	<2 SDCM	50,000 hours	5 years
	MODO.AGTFR062	Plaster Recessed	6W	240V	(D) Ø85mm (H) 81mm	(D) Ø55mm	Black	Matte Black	3000K	38°	Aluminium	Remote	IP20	<19	510lm	>92+	<2 SDCM	50,000 hours	5 years
	MODO.AGTFR062	Plaster Recessed	6W	240V	(D) Ø85mm (H) 81mm	(D) Ø55mm	Black	Matte Black	3500K	15°	Aluminium	Remote	IP20	<19	510lm	>92+	<2 SDCM	50,000 hours	5 years
	MODO.AGTFR062	Plaster Recessed	6W	240V	(D) Ø85mm (H) 81mm	(D) Ø55mm	Black	Matte Black	3500K	24°	Aluminium	Remote	IP20	<19	510lm	>92+	<2 SDCM	50,000 hours	5 years
	MODO.AGTFR062	Plaster Recessed	6W	240V	(D) Ø85mm (H) 81mm	(D) Ø55mm	Black	Matte Black	3500K	38°	Aluminium	Remote	IP20	<19	510lm	>92+	<2 SDCM	50,000 hours	5 years



Image

SKU

Mounting Wattage

Voltage

Dimensions

Cut Out Dimensions

Finish

Upper trim Finish

CCT

Beam Angle

Material

Driver

IP Rating

UGR

Luminous Flux

CRI

Colour Deviation

Lifetime

Warranty



MODO.AGTFR062 Plaster Recessed 6W 240V (D) Ø85mm x (H) 81mm (D) Ø55mm Black Matte Black 4000K 15° Aluminium Remote IP20 <19 510lm >92+ <2 SDCM 50,000 hours 5 years



MODO.AGTFR062 Plaster Recessed 6W 240V (D) Ø85mm x (H) 81mm (D) Ø55mm Black Matte Black 4000K 24° Aluminium Remote IP20 <19 510lm >92+ <2 SDCM 50,000 hours 5 years



MODO.AGTFR062 Plaster Recessed 6W 240V (D) Ø85mm x (H) 81mm (D) Ø55mm Black Matte Black 4000K 38° Aluminium Remote IP20 <19 510lm >92+ <2 SDCM 50,000 hours 5 years



MODO.AGTFR062 Plaster Recessed 6W 240V (D) Ø85mm x (H) 81mm (D) Ø55mm Black Matte Gold 3000K 15° Aluminium Remote IP20 <19 510lm >92+ <2 SDCM 50,000 hours 5 years