




Mounting	<u>Recessed</u>
Wattage	<u>15W, 9W</u>
Voltage	<u>240V</u>
Dimensions	<u>(D) Ø85mm x (H) 105.5mm, (D) Ø85mm x (H) 82.5mm</u>
Cut Out Dimensions	<u>(D) Ø75mm</u>
Finish	<u>Black, White</u>
Inner Trim Finish	<u>Black</u>
CCT	<u>2700K, 3000K, 4000K</u>
Beam Angle	<u>15°, 24°, 38°, 55°</u>
Material	<u>Aluminium</u>
Driver	<u>Remote</u>
IP Rating	<u>IP20</u>
UGR	<u><19</u>
Luminous Flux	<u>1275lm, 765lm</u>
CRI	<u>>92+</u>
Colour Deviation	<u><2 SDCM</u>
Lifetime	<u>50,000 hours</u>
Accessories	<u>Soft Lens</u>
Control Gear	<u>DALI, Phase-Cut</u>
Warranty	<u>5 years</u>
Luminaires Type	<u>Recessed</u>
Luminous Flux lm	<u>1001-1500lm, 501-1000lm</u>

Control Gear

Accessories
 Soft Lens



VARIATIONS

Image	SKU	Mounting	Wattage	Voltage	Dimensions	Cut Out Dimensions	Finish	Inner Trim Finish	CCT	Beam Angle	Material	Driver	IP Rating	UGR	Luminous Flux	CRI	Colour Deviation	Lifetime	Warranty	Luminaires Type
	MODO.PS085	Recessed	15W	240V	(D) Ø85mm x (H) 105.5mm	(D) Ø75mm	Black	Black	2700K	15°	Aluminium	IP20	<19	1275lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed	Remote
	MODO.PS085	Recessed	15W	240V	(D) Ø85mm x (H) 105.5mm	(D) Ø75mm	Black	Black	2700K	24°	Aluminium	IP20	<19	1275lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed	Remote
	MODO.PS085	Recessed	15W	240V	(D) Ø85mm x (H) 105.5mm	(D) Ø75mm	Black	Black	2700K	38°	Aluminium	IP20	<19	1275lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed	Remote



Image



SKU	Mounting	Wattage	Voltage	Dimensions	Cut Out Dimensions	Finish	Inner Trim Finish	CCT	Beam Angle	Material	Driver	IP Rating	UGR	Luminous Flux	CRI	Colour Deviation	Lifetime	Warranty	Luminaires Type
MOD0.PS085	Recessed	15W	240V	(D) Ø85mm (H) 105.5mm	(D) Ø75mm	Black	Black	2700K	55°	Aluminium	IP20	<19	1275lm	>92+	≤2 SDCM	50,000 hours	5 years	Recessed Remote	
MOD0.PS085	Recessed	15W	240V	(D) Ø85mm (H) 105.5mm	(D) Ø75mm	Black	Black	3000K	15°	Aluminium	IP20	<19	1275lm	>92+	≤2 SDCM	50,000 hours	5 years	Recessed Remote	
MOD0.PS085	Recessed	15W	240V	(D) Ø85mm (H) 105.5mm	(D) Ø75mm	Black	Black	3000K	24°	Aluminium	IP20	<19	1275lm	>92+	≤2 SDCM	50,000 hours	5 years	Recessed Remote	
MOD0.PS085	Recessed	15W	240V	(D) Ø85mm (H) 105.5mm	(D) Ø75mm	Black	Black	3000K	38°	Aluminium	IP20	<19	1275lm	>92+	≤2 SDCM	50,000 hours	5 years	Recessed Remote	
MOD0.PS085	Recessed	15W	240V	(D) Ø85mm (H) 105.5mm	(D) Ø75mm	Black	Black	3000K	55°	Aluminium	IP20	<19	1275lm	>92+	≤2 SDCM	50,000 hours	5 years	Recessed Remote	
MOD0.PS085	Recessed	15W	240V	(D) Ø85mm (H) 105.5mm	(D) Ø75mm	Black	Black	4000K	15°	Aluminium	IP20	<19	1275lm	>92+	≤2 SDCM	50,000 hours	5 years	Recessed Remote	
MOD0.PS085	Recessed	15W	240V	(D) Ø85mm (H) 105.5mm	(D) Ø75mm	Black	Black	4000K	24°	Aluminium	IP20	<19	1275lm	>92+	≤2 SDCM	50,000 hours	5 years	Recessed Remote	
MOD0.PS085	Recessed	15W	240V	(D) Ø85mm (H) 105.5mm	(D) Ø75mm	Black	Black	4000K	38°	Aluminium	IP20	<19	1275lm	>92+	≤2 SDCM	50,000 hours	5 years	Recessed Remote	
MOD0.PS085	Recessed	15W	240V	(D) Ø85mm (H) 105.5mm	(D) Ø75mm	Black	Black	4000K	55°	Aluminium	IP20	<19	1275lm	>92+	≤2 SDCM	50,000 hours	5 years	Recessed Remote	
MOD0.PS085	Recessed	15W	240V	(D) Ø85mm (H) 105.5mm	(D) Ø75mm	White	Black	2700K	15°	Aluminium	IP20	<19	1275lm	>92+	≤2 SDCM	50,000 hours	5 years	Recessed Remote	
MOD0.PS085	Recessed	15W	240V	(D) Ø85mm (H) 105.5mm	(D) Ø75mm	White	Black	2700K	24°	Aluminium	IP20	<19	1275lm	>92+	≤2 SDCM	50,000 hours	5 years	Recessed Remote	
MOD0.PS085	Recessed	15W	240V	(D) Ø85mm (H) 105.5mm	(D) Ø75mm	White	Black	2700K	38°	Aluminium	IP20	<19	1275lm	>92+	≤2 SDCM	50,000 hours	5 years	Recessed Remote	
MOD0.PS085	Recessed	15W	240V	(D) Ø85mm (H) 105.5mm	(D) Ø75mm	White	Black	2700K	55°	Aluminium	IP20	<19	1275lm	>92+	≤2 SDCM	50,000 hours	5 years	Recessed Remote	
MOD0.PS085	Recessed	15W	240V	(D) Ø85mm (H) 105.5mm	(D) Ø75mm	White	Black	3000K	15°	Aluminium	IP20	<19	1275lm	>92+	≤2 SDCM	50,000 hours	5 years	Recessed Remote	
MOD0.PS085	Recessed	15W	240V	(D) Ø85mm (H) 105.5mm	(D) Ø75mm	White	Black	3000K	24°	Aluminium	IP20	<19	1275lm	>92+	≤2 SDCM	50,000 hours	5 years	Recessed Remote	





Image



SKU	Mounting	Wattage	Voltage	Dimensions	Cut Out Dimensions	Finish	Inner Trim Finish	CCT	Beam Angle	Material	Driver	IP Rating	UGR	Luminous Flux	CRI	Colour Deviation	Lifetime	Warranty	Luminaires Type
MOD0.PS085	Recessed	15W	240V	(D) Ø85mm (H) 105.5mm	(D) Ø75mm	White	Black	3000K	38°	Aluminium	IP20	<19	1275lm	>92+	≤2 SDCM	50,000 hours	5 years	Recessed	Remote



MOD0.PS085	Recessed	15W	240V	(D) Ø85mm (H) 105.5mm	(D) Ø75mm	White	Black	3000K	55°	Aluminium	IP20	<19	1275lm	>92+	≤2 SDCM	50,000 hours	5 years	Recessed	Remote
------------	----------	-----	------	--------------------------	-----------	-------	-------	-------	-----	-----------	------	-----	--------	------	------------	-----------------	---------	----------	--------



MOD0.PS085	Recessed	15W	240V	(D) Ø85mm (H) 105.5mm	(D) Ø75mm	White	Black	4000K	15°	Aluminium	IP20	<19	1275lm	>92+	≤2 SDCM	50,000 hours	5 years	Recessed	Remote
------------	----------	-----	------	--------------------------	-----------	-------	-------	-------	-----	-----------	------	-----	--------	------	------------	-----------------	---------	----------	--------



MOD0.PS085	Recessed	15W	240V	(D) Ø85mm (H) 105.5mm	(D) Ø75mm	White	Black	4000K	24°	Aluminium	IP20	<19	1275lm	>92+	≤2 SDCM	50,000 hours	5 years	Recessed	Remote
------------	----------	-----	------	--------------------------	-----------	-------	-------	-------	-----	-----------	------	-----	--------	------	------------	-----------------	---------	----------	--------



MOD0.PS085	Recessed	15W	240V	(D) Ø85mm (H) 105.5mm	(D) Ø75mm	White	Black	4000K	38°	Aluminium	IP20	<19	1275lm	>92+	≤2 SDCM	50,000 hours	5 years	Recessed	Remote
------------	----------	-----	------	--------------------------	-----------	-------	-------	-------	-----	-----------	------	-----	--------	------	------------	-----------------	---------	----------	--------



MOD0.PS085	Recessed	15W	240V	(D) Ø85mm (H) 105.5mm	(D) Ø75mm	White	Black	4000K	55°	Aluminium	IP20	<19	1275lm	>92+	≤2 SDCM	50,000 hours	5 years	Recessed	Remote
------------	----------	-----	------	--------------------------	-----------	-------	-------	-------	-----	-----------	------	-----	--------	------	------------	-----------------	---------	----------	--------



MOD0.PS085	Recessed	9W	240V	(D) Ø85mm (H) 82.5mm	(D) Ø75mm	Black	Black	2700K	15°	Aluminium	IP20	<19	765lm	>92+	≤2 SDCM	50,000 hours	5 years	Recessed	Remote
------------	----------	----	------	-------------------------	-----------	-------	-------	-------	-----	-----------	------	-----	-------	------	------------	-----------------	---------	----------	--------



MOD0.PS085	Recessed	9W	240V	(D) Ø85mm (H) 82.5mm	(D) Ø75mm	Black	Black	2700K	24°	Aluminium	IP20	<19	765lm	>92+	≤2 SDCM	50,000 hours	5 years	Recessed	Remote
------------	----------	----	------	-------------------------	-----------	-------	-------	-------	-----	-----------	------	-----	-------	------	------------	-----------------	---------	----------	--------



MOD0.PS085	Recessed	9W	240V	(D) Ø85mm (H) 82.5mm	(D) Ø75mm	Black	Black	2700K	38°	Aluminium	IP20	<19	765lm	>92+	≤2 SDCM	50,000 hours	5 years	Recessed	Remote
------------	----------	----	------	-------------------------	-----------	-------	-------	-------	-----	-----------	------	-----	-------	------	------------	-----------------	---------	----------	--------



MOD0.PS085	Recessed	9W	240V	(D) Ø85mm (H) 82.5mm	(D) Ø75mm	Black	Black	2700K	55°	Aluminium	IP20	<19	765lm	>92+	≤2 SDCM	50,000 hours	5 years	Recessed	Remote
------------	----------	----	------	-------------------------	-----------	-------	-------	-------	-----	-----------	------	-----	-------	------	------------	-----------------	---------	----------	--------



MOD0.PS085	Recessed	9W	240V	(D) Ø85mm (H) 82.5mm	(D) Ø75mm	Black	Black	3000K	15°	Aluminium	IP20	<19	765lm	>92+	≤2 SDCM	50,000 hours	5 years	Recessed	Remote
------------	----------	----	------	-------------------------	-----------	-------	-------	-------	-----	-----------	------	-----	-------	------	------------	-----------------	---------	----------	--------



MOD0.PS085	Recessed	9W	240V	(D) Ø85mm (H) 82.5mm	(D) Ø75mm	Black	Black	3000K	24°	Aluminium	IP20	<19	765lm	>92+	≤2 SDCM	50,000 hours	5 years	Recessed	Remote
------------	----------	----	------	-------------------------	-----------	-------	-------	-------	-----	-----------	------	-----	-------	------	------------	-----------------	---------	----------	--------



MOD0.PS085	Recessed	9W	240V	(D) Ø85mm (H) 82.5mm	(D) Ø75mm	Black	Black	3000K	38°	Aluminium	IP20	<19	765lm	>92+	≤2 SDCM	50,000 hours	5 years	Recessed	Remote
------------	----------	----	------	-------------------------	-----------	-------	-------	-------	-----	-----------	------	-----	-------	------	------------	-----------------	---------	----------	--------



MOD0.PS085	Recessed	9W	240V	(D) Ø85mm (H) 82.5mm	(D) Ø75mm	Black	Black	3000K	55°	Aluminium	IP20	<19	765lm	>92+	≤2 SDCM	50,000 hours	5 years	Recessed	Remote
------------	----------	----	------	-------------------------	-----------	-------	-------	-------	-----	-----------	------	-----	-------	------	------------	-----------------	---------	----------	--------



MOD0.PS085	Recessed	9W	240V	(D) Ø85mm (H) 82.5mm	(D) Ø75mm	Black	Black	4000K	15°	Aluminium	IP20	<19	765lm	>92+	≤2 SDCM	50,000 hours	5 years	Recessed	Remote
------------	----------	----	------	-------------------------	-----------	-------	-------	-------	-----	-----------	------	-----	-------	------	------------	-----------------	---------	----------	--------



Image



SKU	Mounting	Wattage	Voltage	Dimensions	Cut Out Dimensions	Finish	Inner Trim Finish	CCT	Beam Angle	Material	Driver	IP Rating	UGR	Luminous Flux	CRI	Colour Deviation	Lifetime	Warranty	Luminaires Type
MOD0.PS085	Recessed	9W	240V	(D) Ø85mm 84(H) 82.5mm	(D) Ø75mm	Black	Black	4000K	24°	Aluminium	IP20	<19	765lm	>92+	≤2 SDCM	50,000 hours	5 years	Recessed Remote	
MOD0.PS085	Recessed	9W	240V	(D) Ø85mm 84(H) 82.5mm	(D) Ø75mm	Black	Black	4000K	38°	Aluminium	IP20	<19	765lm	>92+	≤2 SDCM	50,000 hours	5 years	Recessed Remote	
MOD0.PS085	Recessed	9W	240V	(D) Ø85mm 84(H) 82.5mm	(D) Ø75mm	Black	Black	4000K	55°	Aluminium	IP20	<19	765lm	>92+	≤2 SDCM	50,000 hours	5 years	Recessed Remote	
MOD0.PS085	Recessed	9W	240V	(D) Ø85mm 84(H) 82.5mm	(D) Ø75mm	White	Black	2700K	15°	Aluminium	IP20	<19	765lm	>92+	≤2 SDCM	50,000 hours	5 years	Recessed Remote	
MOD0.PS085	Recessed	9W	240V	(D) Ø85mm 84(H) 82.5mm	(D) Ø75mm	White	Black	2700K	24°	Aluminium	IP20	<19	765lm	>92+	≤2 SDCM	50,000 hours	5 years	Recessed Remote	
MOD0.PS085	Recessed	9W	240V	(D) Ø85mm 84(H) 82.5mm	(D) Ø75mm	White	Black	2700K	38°	Aluminium	IP20	<19	765lm	>92+	≤2 SDCM	50,000 hours	5 years	Recessed Remote	
MOD0.PS085	Recessed	9W	240V	(D) Ø85mm 84(H) 82.5mm	(D) Ø75mm	White	Black	2700K	55°	Aluminium	IP20	<19	765lm	>92+	≤2 SDCM	50,000 hours	5 years	Recessed Remote	
MOD0.PS085	Recessed	9W	240V	(D) Ø85mm 84(H) 82.5mm	(D) Ø75mm	White	Black	3000K	15°	Aluminium	IP20	<19	765lm	>92+	≤2 SDCM	50,000 hours	5 years	Recessed Remote	
MOD0.PS085	Recessed	9W	240V	(D) Ø85mm 84(H) 82.5mm	(D) Ø75mm	White	Black	3000K	24°	Aluminium	IP20	<19	765lm	>92+	≤2 SDCM	50,000 hours	5 years	Recessed Remote	
MOD0.PS085	Recessed	9W	240V	(D) Ø85mm 84(H) 82.5mm	(D) Ø75mm	White	Black	3000K	38°	Aluminium	IP20	<19	765lm	>92+	≤2 SDCM	50,000 hours	5 years	Recessed Remote	
MOD0.PS085	Recessed	9W	240V	(D) Ø85mm 84(H) 82.5mm	(D) Ø75mm	White	Black	3000K	55°	Aluminium	IP20	<19	765lm	>92+	≤2 SDCM	50,000 hours	5 years	Recessed Remote	
MOD0.PS085	Recessed	9W	240V	(D) Ø85mm 84(H) 82.5mm	(D) Ø75mm	White	Black	4000K	15°	Aluminium	IP20	<19	765lm	>92+	≤2 SDCM	50,000 hours	5 years	Recessed Remote	
MOD0.PS085	Recessed	9W	240V	(D) Ø85mm 84(H) 82.5mm	(D) Ø75mm	White	Black	4000K	24°	Aluminium	IP20	<19	765lm	>92+	≤2 SDCM	50,000 hours	5 years	Recessed Remote	
MOD0.PS085	Recessed	9W	240V	(D) Ø85mm 84(H) 82.5mm	(D) Ø75mm	White	Black	4000K	38°	Aluminium	IP20	<19	765lm	>92+	≤2 SDCM	50,000 hours	5 years	Recessed Remote	
MOD0.PS085	Recessed	9W	240V	(D) Ø85mm 84(H) 82.5mm	(D) Ø75mm	White	Black	4000K	55°	Aluminium	IP20	<19	765lm	>92+	≤2 SDCM	50,000 hours	5 years	Recessed Remote	



