

LS

MODOSLT990.....

MODO SPOT LIGHT TWO S90

Collections, Luminaires Type, Modo, Recessed





Mounting	Recessed
Wattage	2x15W, 2x9W
Voltage	240V
Dimensions	(W) 90mm x (L) 175mm x (H) 71mm, (W) 90mm x (L) 175mm x (H) 94mm
Cut Out Dimensions	(W) 80mm x (L) 165mm
Finish	Black, White
CCT	2700K, 3000K, 3500K, 4000K
Beam Angle	15°, 24°, 38°, 55°
Material	Aluminium
Driver	Remote
IP Rating	IP23
UGR	<19
Luminous Flux	1530lm, 2550lm
CRI	>92+
Colour Deviation	<2 SDCM
Lifetime	50,000 hours
Control Gear	DALI, TRIAC
Warranty	5 years
Luminaires Type	Recessed
Luminous Flux lm	1501-2000lm, 2501-3000lm

Control Gear

Accessories

MODO.SLTS90						
PRODUCT NAME	WATTAGE	FINISH	INNER TRIM FINISH	CCT	BEAM ANGLE	CONTROL GEAR


VARIATIONS

Image	SKU	Mounting	Wattage	Voltage	Dimensions	Cut Out Dimensions	Finish	CCT	Beam Angle	Material	Driver	IP Rating	UGR	Luminous Flux	CRI	Colour Deviation	Lifetime	Warranty	Luminaires Type
	MODO.SLTS90	Recessed	2x15W	240V	(W) 90mm x (L) 175mm x (H) 94mm	(W) 80mm x (L) 165mm	Black	2700K	38°	Aluminium	Remote	IP23	<19	2550lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	MODO.SLTS90	Recessed	2x15W	240V	(W) 90mm x (L) 175mm x (H) 94mm	(W) 80mm x (L) 165mm	Black	2700K	24°	Aluminium	Remote	IP23	<19	2550lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	MODO.SLTS90	Recessed	2x15W	240V	(W) 90mm x (L) 175mm x (H) 94mm	(W) 80mm x (L) 165mm	Black	2700K	15°	Aluminium	Remote	IP23	<19	2550lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed




Image


SKU Mounting Wattage Voltage Dimensions Cut Out Dimensions Finish CCT Beam Angle Material Driver IP Rating UGR Luminous Flux CRI Colour Deviation Lifetime Warranty Luminaire Type




MODO.SLTS90 Recessed 2x15W 240V (W) 90mm (L) 175mm x (H) 94mm (W) 80mm (L) 165mm Black 2700K 55° Aluminium Remote IP23 <19 2550lm >92+ <2 SDCM 50,000 hours 5 years Recessed




MODO.SLTS90 Recessed 2x15W 240V (W) 90mm (L) 175mm x (H) 94mm (W) 80mm (L) 165mm Black 3000K 15° Aluminium Remote IP23 <19 2550lm >92+ <2 SDCM 50,000 hours 5 years Recessed



MODO.SLTS90 Recessed 2x15W 240V (W) 90mm (L) 175mm x (H) 94mm (W) 80mm (L) 165mm Black 3000K 24° Aluminium Remote IP23 <19 2550lm >92+ <2 SDCM 50,000 hours 5 years Recessed



MODO.SLTS90 Recessed 2x15W 240V (W) 90mm (L) 175mm x (H) 94mm (W) 80mm (L) 165mm Black 3000K 38° Aluminium Remote IP23 <19 2550lm >92+ <2 SDCM 50,000 hours 5 years Recessed



MODO.SLTS90 Recessed 2x15W 240V (W) 90mm (L) 175mm x (H) 94mm (W) 80mm (L) 165mm Black 3000K 55° Aluminium Remote IP23 <19 2550lm >92+ <2 SDCM 50,000 hours 5 years Recessed



MODO.SLTS90 Recessed 2x15W 240V (W) 90mm (L) 175mm x (H) 94mm (W) 80mm (L) 165mm Black 3500K 15° Aluminium Remote IP23 <19 2550lm >92+ <2 SDCM 50,000 hours 5 years Recessed



MODO.SLTS90 Recessed 2x15W 240V (W) 90mm (L) 175mm x (H) 94mm (W) 80mm (L) 165mm Black 3500K 24° Aluminium Remote IP23 <19 2550lm >92+ <2 SDCM 50,000 hours 5 years Recessed



MODO.SLTS90 Recessed 2x15W 240V (W) 90mm (L) 175mm x (H) 94mm (W) 80mm (L) 165mm Black 3500K 38° Aluminium Remote IP23 <19 2550lm >92+ <2 SDCM 50,000 hours 5 years Recessed



MODO.SLTS90 Recessed 2x15W 240V (W) 90mm (L) 175mm x (H) 94mm (W) 80mm (L) 165mm Black 3500K 55° Aluminium Remote IP23 <19 2550lm >92+ <2 SDCM 50,000 hours 5 years Recessed



MODO.SLTS90 Recessed 2x15W 240V (W) 90mm (L) 175mm x (H) 94mm (W) 80mm (L) 165mm Black 4000K 15° Aluminium Remote IP23 <19 2550lm >92+ <2 SDCM 50,000 hours 5 years Recessed



MODO.SLTS90 Recessed 2x15W 240V (W) 90mm (L) 175mm x (H) 94mm (W) 80mm (L) 165mm Black 4000K 24° Aluminium Remote IP23 <19 2550lm >92+ <2 SDCM 50,000 hours 5 years Recessed



MODO.SLTS90 Recessed 2x15W 240V (W) 90mm (L) 175mm x (H) 94mm (W) 80mm (L) 165mm Black 4000K 38° Aluminium Remote IP23 <19 2550lm >92+ <2 SDCM 50,000 hours 5 years Recessed



MODO.SLTS90 Recessed 2x15W 240V (W) 90mm (L) 175mm x (H) 94mm (W) 80mm (L) 165mm Black 4000K 55° Aluminium Remote IP23 <19 2550lm >92+ <2 SDCM 50,000 hours 5 years Recessed




MODO.SLTS90 Recessed 2x15W 240V (W) 90mm (L) 175mm x (H) 94mm (W) 80mm (L) 165mm White 2700K 15° Aluminium Remote IP23 <19 2550lm >92+ <2 SDCM 50,000 hours 5 years Recessed




Image


SKU Mounting Wattage Voltage Dimensions Cut Out Dimensions Finish CCT Beam Angle Material Driver IP Rating UGR Luminous Flux CRI Colour Deviation Lifetime Warranty Luminaires Type




MODO.SLTS90 Recessed 2x15W 240V (W) 90mm x (L) 175mm x (H) 94mm (W) 80mm x (L) 165mm White 2700K 24° Aluminium Remote IP23 <19 2550lm >92+ <2 SDCM 50,000 hours 5 years Recessed




MODO.SLTS90 Recessed 2x15W 240V (W) 90mm x (L) 175mm x (H) 94mm (W) 80mm x (L) 165mm White 2700K 38° Aluminium Remote IP23 <19 2550lm >92+ <2 SDCM 50,000 hours 5 years Recessed




MODO.SLTS90 Recessed 2x15W 240V (W) 90mm x (L) 175mm x (H) 94mm (W) 80mm x (L) 165mm White 2700K 55° Aluminium Remote IP23 <19 2550lm >92+ <2 SDCM 50,000 hours 5 years Recessed




MODO.SLTS90 Recessed 2x15W 240V (W) 90mm x (L) 175mm x (H) 94mm (W) 80mm x (L) 165mm White 3000K 15° Aluminium Remote IP23 <19 2550lm >92+ <2 SDCM 50,000 hours 5 years Recessed



MODO.SLTS90 Recessed 2x15W 240V (W) 90mm x (L) 175mm x (H) 94mm (W) 80mm x (L) 165mm White 3000K 24° Aluminium Remote IP23 <19 2550lm >92+ <2 SDCM 50,000 hours 5 years Recessed



MODO.SLTS90 Recessed 2x15W 240V (W) 90mm x (L) 175mm x (H) 94mm (W) 80mm x (L) 165mm White 3000K 38° Aluminium Remote IP23 <19 2550lm >92+ <2 SDCM 50,000 hours 5 years Recessed



MODO.SLTS90 Recessed 2x15W 240V (W) 90mm x (L) 175mm x (H) 94mm (W) 80mm x (L) 165mm White 3000K 55° Aluminium Remote IP23 <19 2550lm >92+ <2 SDCM 50,000 hours 5 years Recessed



MODO.SLTS90 Recessed 2x15W 240V (W) 90mm x (L) 175mm x (H) 94mm (W) 80mm x (L) 165mm White 3500K 15° Aluminium Remote IP23 <19 2550lm >92+ <2 SDCM 50,000 hours 5 years Recessed



MODO.SLTS90 Recessed 2x15W 240V (W) 90mm x (L) 175mm x (H) 94mm (W) 80mm x (L) 165mm White 3500K 24° Aluminium Remote IP23 <19 2550lm >92+ <2 SDCM 50,000 hours 5 years Recessed



MODO.SLTS90 Recessed 2x15W 240V (W) 90mm x (L) 175mm x (H) 94mm (W) 80mm x (L) 165mm White 3500K 38° Aluminium Remote IP23 <19 2550lm >92+ <2 SDCM 50,000 hours 5 years Recessed



MODO.SLTS90 Recessed 2x15W 240V (W) 90mm x (L) 175mm x (H) 94mm (W) 80mm x (L) 165mm White 3500K 55° Aluminium Remote IP23 <19 2550lm >92+ <2 SDCM 50,000 hours 5 years Recessed



MODO.SLTS90 Recessed 2x15W 240V (W) 90mm x (L) 175mm x (H) 94mm (W) 80mm x (L) 165mm White 4000K 15° Aluminium Remote IP23 <19 2550lm >92+ <2 SDCM 50,000 hours 5 years Recessed



MODO.SLTS90 Recessed 2x15W 240V (W) 90mm x (L) 175mm x (H) 94mm (W) 80mm x (L) 165mm White 4000K 24° Aluminium Remote IP23 <19 2550lm >92+ <2 SDCM 50,000 hours 5 years Recessed




MODO.SLTS90 Recessed 2x15W 240V (W) 90mm x (L) 175mm x (H) 94mm (W) 80mm x (L) 165mm White 4000K 38° Aluminium Remote IP23 <19 2550lm >92+ <2 SDCM 50,000 hours 5 years Recessed




Image


SKU Mounting Wattage Voltage Dimensions Cut Out Dimensions Finish CCT Beam Angle Material Driver IP Rating UGR Luminous Flux CRI Colour Deviation Lifetime Warranty Luminaires Type




MODO.SLTS90 Recessed 2x15W 240V (W) 90mm (L) 175mm x (H) 94mm (W) 80mm (L) 165mm White 4000K 55° Aluminium Remote IP23 <19 2550lm >92+ <2 SDCM 50,000 hours 5 years Recessed




MODO.SLTS90 Recessed 2x9W 240V (W) 90mm (L) 175mm x (H) 71mm (W) 80mm (L) 165mm Black 2700K 15° Aluminium Remote IP23 <19 1530lm >92+ <2 SDCM 50,000 hours 5 years Recessed




MODO.SLTS90 Recessed 2x9W 240V (W) 90mm (L) 175mm x (H) 71mm (W) 80mm (L) 165mm Black 2700K 24° Aluminium Remote IP23 <19 1530lm >92+ <2 SDCM 50,000 hours 5 years Recessed




MODO.SLTS90 Recessed 2x9W 240V (W) 90mm (L) 175mm x (H) 71mm (W) 80mm (L) 165mm Black 2700K 38° Aluminium Remote IP23 <19 1530lm >92+ <2 SDCM 50,000 hours 5 years Recessed



MODO.SLTS90 Recessed 2x9W 240V (W) 90mm (L) 175mm x (H) 71mm (W) 80mm (L) 165mm Black 2700K 55° Aluminium Remote IP23 <19 1530lm >92+ <2 SDCM 50,000 hours 5 years Recessed



MODO.SLTS90 Recessed 2x9W 240V (W) 90mm (L) 175mm x (H) 71mm (W) 80mm (L) 165mm Black 3000K 15° Aluminium Remote IP23 <19 1530lm >92+ <2 SDCM 50,000 hours 5 years Recessed



MODO.SLTS90 Recessed 2x9W 240V (W) 90mm (L) 175mm x (H) 71mm (W) 80mm (L) 165mm Black 3000K 24° Aluminium Remote IP23 <19 1530lm >92+ <2 SDCM 50,000 hours 5 years Recessed



MODO.SLTS90 Recessed 2x9W 240V (W) 90mm (L) 175mm x (H) 71mm (W) 80mm (L) 165mm Black 3000K 38° Aluminium Remote IP23 <19 1530lm >92+ <2 SDCM 50,000 hours 5 years Recessed



MODO.SLTS90 Recessed 2x9W 240V (W) 90mm (L) 175mm x (H) 71mm (W) 80mm (L) 165mm Black 3000K 55° Aluminium Remote IP23 <19 1530lm >92+ <2 SDCM 50,000 hours 5 years Recessed



MODO.SLTS90 Recessed 2x9W 240V (W) 90mm (L) 175mm x (H) 71mm (W) 80mm (L) 165mm Black 3500K 15° Aluminium Remote IP23 <19 1530lm >92+ <2 SDCM 50,000 hours 5 years Recessed



MODO.SLTS90 Recessed 2x9W 240V (W) 90mm (L) 175mm x (H) 71mm (W) 80mm (L) 165mm Black 3500K 24° Aluminium Remote IP23 <19 1530lm >92+ <2 SDCM 50,000 hours 5 years Recessed



MODO.SLTS90 Recessed 2x9W 240V (W) 90mm (L) 175mm x (H) 71mm (W) 80mm (L) 165mm Black 3500K 38° Aluminium Remote IP23 <19 1530lm >92+ <2 SDCM 50,000 hours 5 years Recessed



MODO.SLTS90 Recessed 2x9W 240V (W) 90mm (L) 175mm x (H) 71mm (W) 80mm (L) 165mm Black 3500K 55° Aluminium Remote IP23 <19 1530lm >92+ <2 SDCM 50,000 hours 5 years Recessed




MODO.SLTS90 Recessed 2x9W 240V (W) 90mm (L) 175mm x (H) 71mm (W) 80mm (L) 165mm Black 4000K 15° Aluminium Remote IP23 <19 1530lm >92+ <2 SDCM 50,000 hours 5 years Recessed



Image	SKU	Mounting	Wattage	Voltage	Dimensions	Cut Out Dimensions	Finish	CCT	Beam Angle	Material	Driver	IP Rating	UGR	Luminous Flux	CRI	Colour Deviation	Lifetime	Warranty	Luminaires Type
	MODO.SLTS90	Recessed	2x9W	240V	(W) 90mm (L) 175mm x (H) 71mm	(W) 80mm (L) 165mm	Black	4000K	24°	Aluminium	Remote	IP23	<19	1530lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	MODO.SLTS90	Recessed	2x9W	240V	(W) 90mm (L) 175mm x (H) 71mm	(W) 80mm (L) 165mm	Black	4000K	38°	Aluminium	Remote	IP23	<19	1530lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	MODO.SLTS90	Recessed	2x9W	240V	(W) 90mm (L) 175mm x (H) 71mm	(W) 80mm (L) 165mm	Black	4000K	55°	Aluminium	Remote	IP23	<19	1530lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	MODO.SLTS90	Recessed	2x9W	240V	(W) 90mm (L) 175mm x (H) 71mm	(W) 80mm (L) 165mm	White	2700K	15°	Aluminium	Remote	IP23	<19	1530lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	MODO.SLTS90	Recessed	2x9W	240V	(W) 90mm (L) 175mm x (H) 71mm	(W) 80mm (L) 165mm	White	2700K	24°	Aluminium	Remote	IP23	<19	1530lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	MODO.SLTS90	Recessed	2x9W	240V	(W) 90mm (L) 175mm x (H) 71mm	(W) 80mm (L) 165mm	White	2700K	38°	Aluminium	Remote	IP23	<19	1530lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	MODO.SLTS90	Recessed	2x9W	240V	(W) 90mm (L) 175mm x (H) 71mm	(W) 80mm (L) 165mm	White	2700K	55°	Aluminium	Remote	IP23	<19	1530lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	MODO.SLTS90	Recessed	2x9W	240V	(W) 90mm (L) 175mm x (H) 71mm	(W) 80mm (L) 165mm	White	3000K	15°	Aluminium	Remote	IP23	<19	1530lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	MODO.SLTS90	Recessed	2x9W	240V	(W) 90mm (L) 175mm x (H) 71mm	(W) 80mm (L) 165mm	White	3000K	24°	Aluminium	Remote	IP23	<19	1530lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	MODO.SLTS90	Recessed	2x9W	240V	(W) 90mm (L) 175mm x (H) 71mm	(W) 80mm (L) 165mm	White	3000K	38°	Aluminium	Remote	IP23	<19	1530lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	MODO.SLTS90	Recessed	2x9W	240V	(W) 90mm (L) 175mm x (H) 71mm	(W) 80mm (L) 165mm	White	3000K	55°	Aluminium	Remote	IP23	<19	1530lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	MODO.SLTS90	Recessed	2x9W	240V	(W) 90mm (L) 175mm x (H) 71mm	(W) 80mm (L) 165mm	White	3500K	15°	Aluminium	Remote	IP23	<19	1530lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	MODO.SLTS90	Recessed	2x9W	240V	(W) 90mm (L) 175mm x (H) 71mm	(W) 80mm (L) 165mm	White	3500K	24°	Aluminium	Remote	IP23	<19	1530lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	MODO.SLTS90	Recessed	2x9W	240V	(W) 90mm (L) 175mm x (H) 71mm	(W) 80mm (L) 165mm	White	3500K	38°	Aluminium	Remote	IP23	<19	1530lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed



Image



SKU	Mounting	Wattage	Voltage	Dimensions	Cut Out Dimensions	Finish	CCT	Beam Angle	Material	Driver	IP Rating	UGR	Luminous Flux	CRI	Colour Deviation	Lifetime	Warranty	Luminaires Type
MODO.SLTS90	Recessed	2x9W	240V	(W) 90mm x (L) 175mm x (H) 71mm	(W) 80mm x (L) 165mm	White	3500K	55°	Aluminium	Remote	IP23	<19	1530lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
MODO.SLTS90	Recessed	2x9W	240V	(W) 90mm x (L) 175mm x (H) 71mm	(W) 80mm x (L) 165mm	White	4000K	15°	Aluminium	Remote	IP23	<19	1530lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
MODO.SLTS90	Recessed	2x9W	240V	(W) 90mm x (L) 175mm x (H) 71mm	(W) 80mm x (L) 165mm	White	4000K	24°	Aluminium	Remote	IP23	<19	1530lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
MODO.SLTS90	Recessed	2x9W	240V	(W) 90mm x (L) 175mm x (H) 71mm	(W) 80mm x (L) 165mm	White	4000K	38°	Aluminium	Remote	IP23	<19	1530lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
MODO.SLTS90	Recessed	2x9W	240V	(W) 90mm x (L) 175mm x (H) 71mm	(W) 80mm x (L) 165mm	White	4000K	55°	Aluminium	Remote	IP23	<19	1530lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed