




Wattage	15W/m
Voltage	DC24V
Dimensions	(W) 16mm x (H) 17mm
Cut Length	55.5mm
CCT	2700K, 3000K, 3500K, 4000K, 5000K, RGB, Solid Colours
Beam Angle	160°
Driver	Remote
IP Rating	IP67
CRI	>92+, >98
Colour Deviation	<3 SDCM
Accessories	Bottom Power End Cap, End Caps, Front Power End Cap, Mounting Profile, Self Locking Clip, Self Locking Profile, Side Power End Cap, Surface Mounting Clip
Luminous Flux	475lm
Warranty	5 years
Luminaires Type	Linear Systems – Linear Light Source
Luminous Flux lm	1-500lm

Control Gear



Accessories
Bottom Power End Cap, End Caps, Front Power End Cap, Mounting Profile, Self Locking Clip, Self Locking Profile, Side Power End Cap, Surface Mounting Clip

NEON.PS1617						
PRODUCT NAME	WATTAGE	FINISH	INNER TRIM FINISH	CCT	BEAM ANGLE	CONTROL GEAR

VARIATIONS

Image	SKU	Wattage	Voltage	Dimensions	Cut Length	CCT	Beam Angle	Driver	IP Rating	CRI	Colour Deviation	Accessories	Luminous Flux	Warranty	Luminaires Type
	NEON.PS1617	15W/m	DC24V	(W) 16mm x (H) 17mm	55.5mm	2700K	160°	Remote	IP67	>92+	<3 SDCM	Any Accessories	475lm	5 years	Linear Systems - Linear Light Source
	NEON.PS1617	15W/m	DC24V	(W) 16mm x (H) 17mm	55.5mm	2700K	160°	Remote	IP67	>98	<3 SDCM	Any Accessories	475lm	5 years	Linear Systems - Linear Light Source



Image	SKU	Wattage	Voltage	Dimensions	Cut Length	CCT	Beam Angle	Driver	IP Rating	CRI	Colour Deviation	Accessories	Luminous Flux	Warranty	Luminaires Type
	NEON.PS1617	15W/m	DC24V	(W) 16mm (H) 17mm	55.5mm	3000K	160°	Remote	IP67	>92+	<3 SDCM	Any Accessories	475lm	5 years	Linear Systems - Linear Light Source
	NEON.PS1617	15W/m	DC24V	(W) 16mm (H) 17mm	55.5mm	3000K	160°	Remote	IP67	>98	<3 SDCM	Any Accessories	475lm	5 years	Linear Systems - Linear Light Source
	NEON.PS1617	15W/m	DC24V	(W) 16mm (H) 17mm	55.5mm	3500K	160°	Remote	IP67	>92+	<3 SDCM	Any Accessories	475lm	5 years	Linear Systems - Linear Light Source
	NEON.PS1617	15W/m	DC24V	(W) 16mm (H) 17mm	55.5mm	3500K	160°	Remote	IP67	>98	<3 SDCM	Any Accessories	475lm	5 years	Linear Systems - Linear Light Source
	NEON.PS1617	15W/m	DC24V	(W) 16mm (H) 17mm	55.5mm	4000K	160°	Remote	IP67	>92+	<3 SDCM	Any Accessories	475lm	5 years	Linear Systems - Linear Light Source
	NEON.PS1617	15W/m	DC24V	(W) 16mm (H) 17mm	55.5mm	4000K	160°	Remote	IP67	>98	<3 SDCM	Any Accessories	475lm	5 years	Linear Systems - Linear Light Source
	NEON.PS1617	15W/m	DC24V	(W) 16mm (H) 17mm	55.5mm	5000K	160°	Remote	IP67	>92+	<3 SDCM	Any Accessories	475lm	5 years	Linear Systems - Linear Light Source
	NEON.PS1617	15W/m	DC24V	(W) 16mm (H) 17mm	55.5mm	5000K	160°	Remote	IP67	>98	<3 SDCM	Any Accessories	475lm	5 years	Linear Systems - Linear Light Source
	NEON.PS1617	15W/m	DC24V	(W) 16mm (H) 17mm	55.5mm	RGB	160°	Remote	IP67	>92+	<3 SDCM	Any Accessories	475lm	5 years	Linear Systems - Linear Light Source
	NEON.PS1617	15W/m	DC24V	(W) 16mm (H) 17mm	55.5mm	RGB	160°	Remote	IP67	>98	<3 SDCM	Any Accessories	475lm	5 years	Linear Systems - Linear Light Source
	NEON.PS1617	15W/m	DC24V	(W) 16mm (H) 17mm	55.5mm	Solid Colours	160°	Remote	IP67	>92+	<3 SDCM	Any Accessories	475lm	5 years	Linear Systems - Linear Light Source
	NEON.PS1617	15W/m	DC24V	(W) 16mm (H) 17mm	55.5mm	Solid Colours	160°	Remote	IP67	>98	<3 SDCM	Any Accessories	475lm	5 years	Linear Systems - Linear Light Source

