


LS

YOUB

RECESSED ONE 101

Luminaires Type, Recessed



|                    |                            |
|--------------------|----------------------------|
| Mounting           | Recessed                   |
| Wattage            | 7W                         |
| Voltage            | 240V                       |
| Dimensions         | (D) Ø101mm x (L) 105mm     |
| Cut Out Dimensions | (D) Ø95mm                  |
| Finish             | Black, White               |
| Inner Trim Finish  | Black, White               |
| CCT                | 2700K, 3000K, 3500K, 4000K |
| Beam Angle         | 15°, 24°, 36°              |
| Material           | Aluminium                  |
| Driver             | Remote                     |
| IP Rating          | IP20                       |
| UGR                | <19                        |
| Luminous Flux      | 595lm                      |
| CRI                | >92+                       |
| Colour Deviation   | <2 SDCM                    |
| Lifetime           | 50,000 hours               |
| Control Gear       | TRIAC                      |
| Warranty           | 5 years                    |
| Luminaires Type    | Recessed                   |
| Luminous Flux lm   | 501-1000lm                 |

Control Gear

Accessories

|              |         |        |                   |     |            |              |
|--------------|---------|--------|-------------------|-----|------------|--------------|
| YOUB.R0101   |         |        |                   |     |            |              |
| PRODUCT NAME | WATTAGE | FINISH | INNER TRIM FINISH | CCT | BEAM ANGLE | CONTROL GEAR |

# VARIATIONS

| Image | SKU        | Mounting | Wattage | Voltage | Dimensions             | Cut Out Dimensions | Finish | Inner Trim Finish | CCT   | Beam Angle | Material  | Driver | IP Rating | UGR | Luminous Flux | CRI  | Colour Deviation | Lifetime     | Warranty | Luminaires Type |
|-------|------------|----------|---------|---------|------------------------|--------------------|--------|-------------------|-------|------------|-----------|--------|-----------|-----|---------------|------|------------------|--------------|----------|-----------------|
|       | YOUB.R0101 | Reversed | 7W      | 240V    | (D) Ø101mm x (L) 105mm | (D) Ø95mm          | Black  | Black             | 2700K | 15°        | Aluminium | Remote | IP20      | <19 | 595lm         | >92+ | <2 SDCM          | 50,000 hours | 5 years  | Reversed        |
|       | YOUB.R0101 | Reversed | 7W      | 240V    | (D) Ø101mm x (L) 105mm | (D) Ø95mm          | Black  | Black             | 2700K | 24°        | Aluminium | Remote | IP20      | <19 | 595lm         | >92+ | <2 SDCM          | 50,000 hours | 5 years  | Reversed        |
|       | YOUB.R0101 | Reversed | 7W      | 240V    | (D) Ø101mm x (L) 105mm | (D) Ø95mm          | Black  | Black             | 2700K | 36°        | Aluminium | Remote | IP20      | <19 | 595lm         | >92+ | <2 SDCM          | 50,000 hours | 5 years  | Reversed        |



| Image | SKU        | Mounting | Wattage | Voltage     | Dimensions             | Cut Out Dimensions | Finish | Inner Fin Finish | CCT   | Beam Angle | Material  | Driver | IP Rating | UGR | Luminous Flux | CRI  | Colour Deviation | Lifetime     | Warranty | Luminaires Type |
|-------|------------|----------|---------|-------------|------------------------|--------------------|--------|------------------|-------|------------|-----------|--------|-----------|-----|---------------|------|------------------|--------------|----------|-----------------|
|       | YOOB.R0101 | Recessed | 7W      | 240V        | (D) Ø101mm x (L) 105mm | (D) Ø95mm          | Black  | Black            | 3000K | 15°        | Aluminium | Remote | IP20      | <19 | 595lm         | >92+ | <2 SDCM          | 50,000 hours | 5 years  | Recessed        |
|       | YOOB.R0101 | Recessed | 7W      | 240V        | (D) Ø101mm x (L) 105mm | (D) Ø95mm          | Black  | Black            | 3000K | 24°        | Aluminium | Remote | IP20      | <19 | 595lm         | >92+ | <2 SDCM          | 50,000 hours | 5 years  | Recessed        |
|       | YOOB.R0101 | Recessed | 7W      | 240V        | (D) Ø101mm x (L) 105mm | (D) Ø95mm          | Black  | Black            | 3000K | 36°        | Aluminium | Remote | IP20      | <19 | 595lm         | >92+ | <2 SDCM          | 50,000 hours | 5 years  | Recessed        |
|       | YOOB.R0101 | Recessed | 7W      | 240V        | (D) Ø101mm x (L) 105mm | (D) Ø95mm          | Black  | Black            | 3500K | 15°        | Aluminium | Remote | IP20      | <19 | 595lm         | >92+ | <2 SDCM          | 50,000 hours | 5 years  | Recessed        |
|       | YOOB.R0101 | Recessed | 7W      | 240V        | (D) Ø101mm x (L) 105mm | (D) Ø95mm          | Black  | Black            | 3500K | 24°        | Aluminium | Remote | IP20      | <19 | 595lm         | >92+ | <2 SDCM          | 50,000 hours | 5 years  | Recessed        |
|       | YOOB.R0101 | Recessed | 7W      | 240V        | (D) Ø101mm x (L) 105mm | (D) Ø95mm          | Black  | Black            | 3500K | 36°        | Aluminium | Remote | IP20      | <19 | 595lm         | >92+ | <2 SDCM          | 50,000 hours | 5 years  | Recessed        |
|       | YOOB.R0101 | Recessed | 7W      | 240V        | (D) Ø101mm x (L) 105mm | (D) Ø95mm          | Black  | Black            | 4000K | 15°        | Aluminium | Remote | IP20      | <19 | 595lm         | >92+ | <2 SDCM          | 50,000 hours | 5 years  | Recessed        |
|       | YOOB.R0101 | Recessed | 7W      | 240V        | (D) Ø101mm x (L) 105mm | (D) Ø95mm          | Black  | Black            | 4000K | 24°        | Aluminium | Remote | IP20      | <19 | 595lm         | >92+ | <2 SDCM          | 50,000 hours | 5 years  | Recessed        |
|       | YOOB.R0101 | Recessed | 7W      | Any Voltage | (D) Ø101mm x (L) 105mm | (D) Ø95mm          | Black  | Black            | 4000K | 36°        | Aluminium | Remote | IP20      | <19 | 595lm         | >92+ | <2 SDCM          | 50,000 hours | 5 years  | Recessed        |
|       | YOOB.R0101 | Recessed | 7W      | Any Voltage | (D) Ø101mm x (L) 105mm | (D) Ø95mm          | Black  | White            | 2700K | 15°        | Aluminium | Remote | IP20      | <19 | 595lm         | >92+ | <2 SDCM          | 50,000 hours | 5 years  | Recessed        |
|       | YOOB.R0101 | Recessed | 7W      | 240V        | (D) Ø101mm x (L) 105mm | (D) Ø95mm          | Black  | White            | 2700K | 24°        | Aluminium | Remote | IP20      | <19 | 595lm         | >92+ | <2 SDCM          | 50,000 hours | 5 years  | Recessed        |
|       | YOOB.R0101 | Recessed | 7W      | 240V        | (D) Ø101mm x (L) 105mm | (D) Ø95mm          | Black  | White            | 2700K | 36°        | Aluminium | Remote | IP20      | <19 | 595lm         | >92+ | <2 SDCM          | 50,000 hours | 5 years  | Recessed        |
|       | YOOB.R0101 | Recessed | 7W      | 240V        | (D) Ø101mm x (L) 105mm | (D) Ø95mm          | Black  | White            | 3000K | 15°        | Aluminium | Remote | IP20      | <19 | 595lm         | >92+ | <2 SDCM          | 50,000 hours | 5 years  | Recessed        |
|       | YOOB.R0101 | Recessed | 7W      | 240V        | (D) Ø101mm x (L) 105mm | (D) Ø95mm          | Black  | White            | 3000K | 24°        | Aluminium | Remote | IP20      | <19 | 595lm         | >92+ | <2 SDCM          | 50,000 hours | 5 years  | Recessed        |
|       | YOOB.R0101 | Recessed | 7W      | 240V        | (D) Ø101mm x (L) 105mm | (D) Ø95mm          | Black  | White            | 3000K | 36°        | Aluminium | Remote | IP20      | <19 | 595lm         | >92+ | <2 SDCM          | 50,000 hours | 5 years  | Recessed        |



| Image                                                                               | SKU        | Mounting | Wattage | Voltage | Dimensions             | Cut Out Dimensions | Finish | Inner Fin Finish | CCT   | Beam Angle | Material  | Driver | IP Rating | UGR | Luminous Flux | CRI  | Colour Deviation | Lifetime     | Warranty | Luminaires Type |
|-------------------------------------------------------------------------------------|------------|----------|---------|---------|------------------------|--------------------|--------|------------------|-------|------------|-----------|--------|-----------|-----|---------------|------|------------------|--------------|----------|-----------------|
|    | YOOB.R0101 | Recessed | 7W      | 240V    | (D) Ø101mm x (L) 105mm | (D) Ø95mm          | Black  | White            | 3500K | 15°        | Aluminium | Remote | IP20      | <19 | 595lm         | >92+ | <2 SDCM          | 50,000 hours | 5 years  | Recessed        |
|    | YOOB.R0101 | Recessed | 7W      | 240V    | (D) Ø101mm x (L) 105mm | (D) Ø95mm          | Black  | White            | 3500K | 24°        | Aluminium | Remote | IP20      | <19 | 595lm         | >92+ | <2 SDCM          | 50,000 hours | 5 years  | Recessed        |
|    | YOOB.R0101 | Recessed | 7W      | 240V    | (D) Ø101mm x (L) 105mm | (D) Ø95mm          | Black  | White            | 3500K | 36°        | Aluminium | Remote | IP20      | <19 | 595lm         | >92+ | <2 SDCM          | 50,000 hours | 5 years  | Recessed        |
|    | YOOB.R0101 | Recessed | 7W      | 240V    | (D) Ø101mm x (L) 105mm | (D) Ø95mm          | Black  | White            | 4000K | 15°        | Aluminium | Remote | IP20      | <19 | 595lm         | >92+ | <2 SDCM          | 50,000 hours | 5 years  | Recessed        |
|    | YOOB.R0101 | Recessed | 7W      | 240V    | (D) Ø101mm x (L) 105mm | (D) Ø95mm          | Black  | White            | 4000K | 24°        | Aluminium | Remote | IP20      | <19 | 595lm         | >92+ | <2 SDCM          | 50,000 hours | 5 years  | Recessed        |
|    | YOOB.R0101 | Recessed | 7W      | 240V    | (D) Ø101mm x (L) 105mm | (D) Ø95mm          | Black  | White            | 4000K | 36°        | Aluminium | Remote | IP20      | <19 | 595lm         | >92+ | <2 SDCM          | 50,000 hours | 5 years  | Recessed        |
|   | YOOB.R0101 | Recessed | 7W      | 240V    | (D) Ø101mm x (L) 105mm | (D) Ø95mm          | White  | Black            | 2700K | 15°        | Aluminium | Remote | IP20      | <19 | 595lm         | >92+ | <2 SDCM          | 50,000 hours | 5 years  | Recessed        |
|  | YOOB.R0101 | Recessed | 7W      | 240V    | (D) Ø101mm x (L) 105mm | (D) Ø95mm          | White  | Black            | 2700K | 24°        | Aluminium | Remote | IP20      | <19 | 595lm         | >92+ | <2 SDCM          | 50,000 hours | 5 years  | Recessed        |
|  | YOOB.R0101 | Recessed | 7W      | 240V    | (D) Ø101mm x (L) 105mm | (D) Ø95mm          | White  | Black            | 2700K | 36°        | Aluminium | Remote | IP20      | <19 | 595lm         | >92+ | <2 SDCM          | 50,000 hours | 5 years  | Recessed        |
|  | YOOB.R0101 | Recessed | 7W      | 240V    | (D) Ø101mm x (L) 105mm | (D) Ø95mm          | White  | Black            | 3000K | 15°        | Aluminium | Remote | IP20      | <19 | 595lm         | >92+ | <2 SDCM          | 50,000 hours | 5 years  | Recessed        |
|  | YOOB.R0101 | Recessed | 7W      | 240V    | (D) Ø101mm x (L) 105mm | (D) Ø95mm          | White  | Black            | 3000K | 24°        | Aluminium | Remote | IP20      | <19 | 595lm         | >92+ | <2 SDCM          | 50,000 hours | 5 years  | Recessed        |
|  | YOOB.R0101 | Recessed | 7W      | 240V    | (D) Ø101mm x (L) 105mm | (D) Ø95mm          | White  | Black            | 3000K | 36°        | Aluminium | Remote | IP20      | <19 | 595lm         | >92+ | <2 SDCM          | 50,000 hours | 5 years  | Recessed        |
|  | YOOB.R0101 | Recessed | 7W      | 240V    | (D) Ø101mm x (L) 105mm | (D) Ø95mm          | White  | Black            | 3500K | 15°        | Aluminium | Remote | IP20      | <19 | 595lm         | >92+ | <2 SDCM          | 50,000 hours | 5 years  | Recessed        |
|  | YOOB.R0101 | Recessed | 7W      | 240V    | (D) Ø101mm x (L) 105mm | (D) Ø95mm          | White  | Black            | 3500K | 24°        | Aluminium | Remote | IP20      | <19 | 595lm         | >92+ | <2 SDCM          | 50,000 hours | 5 years  | Recessed        |
|  | YOOB.R0101 | Recessed | 7W      | 240V    | (D) Ø101mm x (L) 105mm | (D) Ø95mm          | White  | Black            | 3500K | 36°        | Aluminium | Remote | IP20      | <19 | 595lm         | >92+ | <2 SDCM          | 50,000 hours | 5 years  | Recessed        |



| Image                                                                               | SKU        | Mounting | Wattage | Voltage | Dimensions             | Cut Out Dimensions | Finish | Inner Rim Finish | CCT   | Beam Angle | Material  | Driver | IP Rating | UGR | Luminous Flux | CRI  | Colour Deviation | Lifetime     | Warranty | Luminaires Type |
|-------------------------------------------------------------------------------------|------------|----------|---------|---------|------------------------|--------------------|--------|------------------|-------|------------|-----------|--------|-----------|-----|---------------|------|------------------|--------------|----------|-----------------|
|    | YOOB.R0101 | Recessed | 7W      | 240V    | (D) Ø101mm x (L) 105mm | (D) Ø95mm          | White  | Black            | 4000K | 15°        | Aluminium | Remote | IP20      | <19 | 595lm         | >92+ | <2 SDCM          | 50,000 hours | 5 years  | Recessed        |
|    | YOOB.R0101 | Recessed | 7W      | 240V    | (D) Ø101mm x (L) 105mm | (D) Ø95mm          | White  | Black            | 4000K | 24°        | Aluminium | Remote | IP20      | <19 | 595lm         | >92+ | <2 SDCM          | 50,000 hours | 5 years  | Recessed        |
|    | YOOB.R0101 | Recessed | 7W      | 240V    | (D) Ø101mm x (L) 105mm | (D) Ø95mm          | White  | Black            | 4000K | 36°        | Aluminium | Remote | IP20      | <19 | 595lm         | >92+ | <2 SDCM          | 50,000 hours | 5 years  | Recessed        |
|    | YOOB.R0101 | Recessed | 7W      | 240V    | (D) Ø101mm x (L) 105mm | (D) Ø95mm          | White  | White            | 2700K | 15°        | Aluminium | Remote | IP20      | <19 | 595lm         | >92+ | <2 SDCM          | 50,000 hours | 5 years  | Recessed        |
|    | YOOB.R0101 | Recessed | 7W      | 240V    | (D) Ø101mm x (L) 105mm | (D) Ø95mm          | White  | White            | 2700K | 24°        | Aluminium | Remote | IP20      | <19 | 595lm         | >92+ | <2 SDCM          | 50,000 hours | 5 years  | Recessed        |
|    | YOOB.R0101 | Recessed | 7W      | 240V    | (D) Ø101mm x (L) 105mm | (D) Ø95mm          | White  | White            | 2700K | 36°        | Aluminium | Remote | IP20      | <19 | 595lm         | >92+ | <2 SDCM          | 50,000 hours | 5 years  | Recessed        |
|   | YOOB.R0101 | Recessed | 7W      | 240V    | (D) Ø101mm x (L) 105mm | (D) Ø95mm          | White  | White            | 3000K | 15°        | Aluminium | Remote | IP20      | <19 | 595lm         | >92+ | <2 SDCM          | 50,000 hours | 5 years  | Recessed        |
|  | YOOB.R0101 | Recessed | 7W      | 240V    | (D) Ø101mm x (L) 105mm | (D) Ø95mm          | White  | White            | 3000K | 24°        | Aluminium | Remote | IP20      | <19 | 595lm         | >92+ | <2 SDCM          | 50,000 hours | 5 years  | Recessed        |
|  | YOOB.R0101 | Recessed | 7W      | 240V    | (D) Ø101mm x (L) 105mm | (D) Ø95mm          | White  | White            | 3000K | 36°        | Aluminium | Remote | IP20      | <19 | 595lm         | >92+ | <2 SDCM          | 50,000 hours | 5 years  | Recessed        |
|  | YOOB.R0101 | Recessed | 7W      | 240V    | (D) Ø101mm x (L) 105mm | (D) Ø95mm          | White  | White            | 3500K | 15°        | Aluminium | Remote | IP20      | <19 | 595lm         | >92+ | <2 SDCM          | 50,000 hours | 5 years  | Recessed        |
|  | YOOB.R0101 | Recessed | 7W      | 240V    | (D) Ø101mm x (L) 105mm | (D) Ø95mm          | White  | White            | 3500K | 24°        | Aluminium | Remote | IP20      | <19 | 595lm         | >92+ | <2 SDCM          | 50,000 hours | 5 years  | Recessed        |
|  | YOOB.R0101 | Recessed | 7W      | 240V    | (D) Ø101mm x (L) 105mm | (D) Ø95mm          | White  | White            | 3500K | 36°        | Aluminium | Remote | IP20      | <19 | 595lm         | >92+ | <2 SDCM          | 50,000 hours | 5 years  | Recessed        |
|  | YOOB.R0101 | Recessed | 7W      | 240V    | (D) Ø101mm x (L) 105mm | (D) Ø95mm          | White  | White            | 4000K | 15°        | Aluminium | Remote | IP20      | <19 | 595lm         | >92+ | <2 SDCM          | 50,000 hours | 5 years  | Recessed        |
|  | YOOB.R0101 | Recessed | 7W      | 240V    | (D) Ø101mm x (L) 105mm | (D) Ø95mm          | White  | White            | 4000K | 24°        | Aluminium | Remote | IP20      | <19 | 595lm         | >92+ | <2 SDCM          | 50,000 hours | 5 years  | Recessed        |
|  | YOOB.R0101 | Recessed | 7W      | 240V    | (D) Ø101mm x (L) 105mm | (D) Ø95mm          | White  | White            | 4000K | 36°        | Aluminium | Remote | IP20      | <19 | 595lm         | >92+ | <2 SDCM          | 50,000 hours | 5 years  | Recessed        |

