YOOB.RT142..... YOOB RECESSED TWO 142






Mounting	Recessed
Wattage	2x7W
Dimensions	(D) Ø142mm x (H) 105mm
Cut Out Dimensions	(D) Ø135mm
Finish	Black, White
Inner Trim Finish	Black, White
CCT	2700K, 3000K, 3500K, 4000K
Beam Angle	15°, 24°, 36°
Material	Aluminium
Driver	Remote
IP Rating	IP20
UGR	<19
Luminous Flux	1190lm
CRI	>92+
Colour Deviation	<2 SDCM
Lifetime	50,000 hours
Control Gear	TRIAC
Warranty	5 years
Luminaires Type	Recessed
Luminous Flux lm	1001-1500lm

Control Gear

Accessories



VARIATIONS

Image	SKU	Mounting	Wattage	Dimensions	Cut Out Dimensions	Finish	Inner Trim Finish	CCT	Beam Angle	Material	Driver	IP Rating	UGR	Luminous Flux	CRI	Colour Deviation	Lifetime	Warranty	Luminaires Type
	YOOB.RT142	Recessed	2x7W	(D) Ø142mm x (H) 105mm	(D) Ø135mm	Black	Black	2700K	15°	Aluminium	Remote	IP20	<19	1190lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	YOOB.RT142	Recessed	2x7W	(D) Ø142mm x (H) 105mm	(D) Ø135mm	Black	Black	2700K	24°	Aluminium	Remote	IP20	<19	1190lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	YOOB.RT142	Recessed	2x7W	(D) Ø142mm x (H) 105mm	(D) Ø135mm	Black	Black	2700K	36°	Aluminium	Remote	IP20	<19	1190lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed

Image	SKU	Mounting	Wattage	Dimensions	Cut Out Dimensions	Finish	Inner Trim Finish	CCT	Beam Angle	Material	Driver	IP Rating	UGR	Luminous Flux	CRI	Colour Deviation	Lifetime	Warranty	Luminaires Type
	YOOB.RT142	Recessed	2x7W	(D) Ø142mm x (H) 105mm	(D) Ø135mm	Black	Black	3000K	15°	Aluminium	Remote	IP20	<19	1190lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	YOOB.RT142	Recessed	2x7W	(D) Ø142mm x (H) 105mm	(D) Ø135mm	Black	Black	3000K	24°	Aluminium	Remote	IP20	<19	1190lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	YOOB.RT142	Recessed	2x7W	(D) Ø142mm x (H) 105mm	(D) Ø135mm	Black	Black	3000K	36°	Aluminium	Remote	IP20	<19	1190lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	YOOB.RT142	Recessed	2x7W	(D) Ø142mm x (H) 105mm	(D) Ø135mm	Black	Black	3500K	15°	Aluminium	Remote	IP20	<19	1190lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	YOOB.RT142	Recessed	2x7W	(D) Ø142mm x (H) 105mm	(D) Ø135mm	Black	Black	3500K	24°	Aluminium	Remote	IP20	<19	1190lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	YOOB.RT142	Recessed	2x7W	(D) Ø142mm x (H) 105mm	(D) Ø135mm	Black	Black	3500K	36°	Aluminium	Remote	IP20	<19	1190lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	YOOB.RT142	Recessed	2x7W	(D) Ø142mm x (H) 105mm	(D) Ø135mm	Black	Black	4000K	15°	Aluminium	Remote	IP20	<19	1190lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	YOOB.RT142	Recessed	2x7W	(D) Ø142mm x (H) 105mm	(D) Ø135mm	Black	Black	4000K	24°	Aluminium	Remote	IP20	<19	1190lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	YOOB.RT142	Recessed	2x7W	(D) Ø142mm x (H) 105mm	(D) Ø135mm	Black	Black	4000K	36°	Aluminium	Remote	IP20	<19	1190lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	YOOB.RT142	Recessed	2x7W	(D) Ø142mm x (H) 105mm	(D) Ø135mm	Black	White	2700K	15°	Aluminium	Remote	IP20	<19	1190lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	YOOB.RT142	Recessed	2x7W	(D) Ø142mm x (H) 105mm	(D) Ø135mm	Black	White	2700K	24°	Aluminium	Remote	IP20	<19	1190lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	YOOB.RT142	Recessed	2x7W	(D) Ø142mm x (H) 105mm	(D) Ø135mm	Black	White	2700K	36°	Aluminium	Remote	IP20	<19	1190lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	YOOB.RT142	Recessed	2x7W	(D) Ø142mm x (H) 105mm	(D) Ø135mm	Black	White	3000K	15°	Aluminium	Remote	IP20	<19	1190lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	YOOB.RT142	Recessed	2x7W	(D) Ø142mm x (H) 105mm	(D) Ø135mm	Black	White	3000K	24°	Aluminium	Remote	IP20	<19	1190lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed

Image	SKU	Mounting	Wattage	Dimensions	Cut Out Dimensions	Finish	Inner Trim Finish	CCT	Beam Angle	Material	Driver	IP Rating	UGR	Luminous Flux	CRI	Colour Deviation	Lifetime	Warranty	Luminaires Type
	YOOB.RT142	Recessed	2x7W	(D) Ø142mm x (H) 105mm	(D) Ø135mm	Black	White	3000K	36°	Aluminium	Remote	IP20	<19	1190lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	YOOB.RT142	Recessed	2x7W	(D) Ø142mm x (H) 105mm	(D) Ø135mm	Black	White	3500K	15°	Aluminium	Remote	IP20	<19	1190lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	YOOB.RT142	Recessed	2x7W	(D) Ø142mm x (H) 105mm	(D) Ø135mm	Black	White	3500K	24°	Aluminium	Remote	IP20	<19	1190lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	YOOB.RT142	Recessed	2x7W	(D) Ø142mm x (H) 105mm	(D) Ø135mm	Black	White	3500K	36°	Aluminium	Remote	IP20	<19	1190lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	YOOB.RT142	Recessed	2x7W	(D) Ø142mm x (H) 105mm	(D) Ø135mm	Black	White	4000K	15°	Aluminium	Remote	IP20	<19	1190lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	YOOB.RT142	Recessed	2x7W	(D) Ø142mm x (H) 105mm	(D) Ø135mm	Black	White	4000K	24°	Aluminium	Remote	IP20	<19	1190lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	YOOB.RT142	Recessed	2x7W	(D) Ø142mm x (H) 105mm	(D) Ø135mm	Black	White	4000K	36°	Aluminium	Remote	IP20	<19	1190lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	YOOB.RT142	Recessed	2x7W	(D) Ø142mm x (H) 105mm	(D) Ø135mm	White	Black	2700K	15°	Aluminium	Remote	IP20	<19	1190lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	YOOB.RT142	Recessed	2x7W	(D) Ø142mm x (H) 105mm	(D) Ø135mm	White	Black	2700K	24°	Aluminium	Remote	IP20	<19	1190lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	YOOB.RT142	Recessed	2x7W	(D) Ø142mm x (H) 105mm	(D) Ø135mm	White	Black	2700K	36°	Aluminium	Remote	IP20	<19	1190lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	YOOB.RT142	Recessed	2x7W	(D) Ø142mm x (H) 105mm	(D) Ø135mm	White	Black	3000K	15°	Aluminium	Remote	IP20	<19	1190lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	YOOB.RT142	Recessed	2x7W	(D) Ø142mm x (H) 105mm	(D) Ø135mm	White	Black	3000K	24°	Aluminium	Remote	IP20	<19	1190lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	YOOB.RT142	Recessed	2x7W	(D) Ø142mm x (H) 105mm	(D) Ø135mm	White	Black	3000K	36°	Aluminium	Remote	IP20	<19	1190lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	YOOB.RT142	Recessed	2x7W	(D) Ø142mm x (H) 105mm	(D) Ø135mm	White	Black	3500K	15°	Aluminium	Remote	IP20	<19	1190lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed

Image	SKU	Mounting	Wattage	Dimensions	Cut Out Dimensions	Finish	Inner Trim Finish	CCT	Beam Angle	Material	Driver	IP Rating	UGR	Luminous Flux	CRI	Colour Deviation	Lifetime	Warranty	Luminaires Type
	YOOB.RT142	Recessed	2x7W	(D) Ø142mm x (H) 105mm	(D) Ø135mm	White	Black	3500K	24°	Aluminium	Remote	IP20	<19	1190lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	YOOB.RT142	Recessed	2x7W	(D) Ø142mm x (H) 105mm	(D) Ø135mm	White	Black	3500K	36°	Aluminium	Remote	IP20	<19	1190lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	YOOB.RT142	Recessed	2x7W	(D) Ø142mm x (H) 105mm	(D) Ø135mm	White	Black	4000K	15°	Aluminium	Remote	IP20	<19	1190lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	YOOB.RT142	Recessed	2x7W	(D) Ø142mm x (H) 105mm	(D) Ø135mm	White	Black	4000K	24°	Aluminium	Remote	IP20	<19	1190lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	YOOB.RT142	Recessed	2x7W	(D) Ø142mm x (H) 105mm	(D) Ø135mm	White	Black	4000K	36°	Aluminium	Remote	IP20	<19	1190lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	YOOB.RT142	Recessed	2x7W	(D) Ø142mm x (H) 105mm	(D) Ø135mm	White	White	2700K	15°	Aluminium	Remote	IP20	<19	1190lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	YOOB.RT142	Recessed	2x7W	(D) Ø142mm x (H) 105mm	(D) Ø135mm	White	White	2700K	24°	Aluminium	Remote	IP20	<19	1190lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	YOOB.RT142	Recessed	2x7W	(D) Ø142mm x (H) 105mm	(D) Ø135mm	White	White	2700K	36°	Aluminium	Remote	IP20	<19	1190lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	YOOB.RT142	Recessed	2x7W	(D) Ø142mm x (H) 105mm	(D) Ø135mm	White	White	3000K	15°	Aluminium	Remote	IP20	<19	1190lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	YOOB.RT142	Recessed	2x7W	(D) Ø142mm x (H) 105mm	(D) Ø135mm	White	White	3000K	24°	Aluminium	Remote	IP20	<19	1190lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	YOOB.RT142	Recessed	2x7W	(D) Ø142mm x (H) 105mm	(D) Ø135mm	White	White	3000K	36°	Aluminium	Remote	IP20	<19	1190lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	YOOB.RT142	Recessed	2x7W	(D) Ø142mm x (H) 105mm	(D) Ø135mm	White	White	3500K	15°	Aluminium	Remote	IP20	<19	1190lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	YOOB.RT142	Recessed	2x7W	(D) Ø142mm x (H) 105mm	(D) Ø135mm	White	White	3500K	24°	Aluminium	Remote	IP20	<19	1190lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	YOOB.RT142	Recessed	2x7W	(D) Ø142mm x (H) 105mm	(D) Ø135mm	White	White	3500K	36°	Aluminium	Remote	IP20	<19	1190lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed

Image	SKU	Mounting	Wattage	Dimensions	Cut Out Dimensions	Finish	Inner Trim Finish	CCT	Beam Angle	Material	Driver	IP Rating	UGR	Luminous Flux	CRI	Colour Deviation	Lifetime	Warranty	Luminaires Type
	YOOB.RT142	Recessed	2x7W	(D) Ø142mm x (H) 105mm	(D) Ø135mm	White	White	4000K	15°	Aluminium	Remote	IP20	<19	1190lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	YOOB.RT142	Recessed	2x7W	(D) Ø142mm x (H) 105mm	(D) Ø135mm	White	White	4000K	24°	Aluminium	Remote	IP20	<19	1190lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed
	YOOB.RT142	Recessed	2x7W	(D) Ø142mm x (H) 105mm	(D) Ø135mm	White	White	4000K	36°	Aluminium	Remote	IP20	<19	1190lm	>92+	<2 SDCM	50,000 hours	5 years	Recessed