SHELFLYNE® | RETAIL

A modular illuminated shelving solution with no wires allowing for free movement of shelves

MANUAL 2019

RETAIL SYSTEM

Shelflyne™ Retail is a modular shelving solution with integrated lighting. Our patented design makes installation a breeze for installers and groundbreaking wire-free technology allow staff to quickly and easily reconfigure shelving. Perfect for architects, interior designers and leading brands in any commercial or retail display application.

Finish

Backboard

*Custom finish available

White

Black

Stained Wood

Marble

Brackets & Vertical Supports

White

Black

Brass

Wall Wedges

Wood

Installation

1



Attach brackets to the shelves

Note: Ensure copper touches the metal brackets

2



Mount backbackboard onto wall wedges



3



Mount shelves onto the back-panel

4



Screw power cables into the vertical supports. Red on one side, black on the other.

Note: Position top or bottom dependant on your individual installation needs

5



Power on and installation is complete

Modular Accessories

	Backboard	Bracket Arm	Shelf
			
Units	1	6 (3 pairs)	3
Dimensions	1000mm x 2400mm x 15mm	114mm x 420mm x 2.5mm	1000mm x 410mm x 30mm
Description	Shelflyne backing board. MDF construction material. Vertical support system attached. Available in 2 stock standard colour options and custom colour option	Shelflyne shelving arms (Left and Right). Steel construction. Available in 2 stock standard powdercoat options and custom colour option	Shelflyne shelving board. MDF construction material with 2 light profiles. Available in 2 stock standard colour options and custom colour option
Ordering Code	SLR-BB-WHT-WH SLR-BB-WHT-BLK SLR-BB-WHT-CTM	SLR-BA-WHT-WH SLR-BA-WHT-BLK SLR-BA-WHT-CTM	SLR-SH-WHT-WH SLR-SH-WHT-BLK SLR-SH-WHT-CTM

	Power Supply	Power Clip	Wedge Mounts
			
Units	1	1	6 (3 attached to the backboard)
Dimensions	219mm x 63mm x 36mm	5m length	W 1000mm x 92mm x 18mm
Description	Power supply for Shelflyne system. IP67. Stock standard power supply will power 3 shelves	Power clip attachment for power supply. Can be hooked at top or bottom	Shelflyne wedge mounts. MDF construction material. Each backboard comes with 3 wedge mounts attached and 3 opposing wedge mounts for the wall. Note: Included with backboard. Order if damaged
Ordering Code	SLR-ELG-150 SLR-ELG-200 SLR-ELG-240	SLR-PC	SLR-WM

Power Supply ordering guide:

3 Shelves	ELG-150
4 Shelves	ELG-200
5 Shelves	ELG-200
6 Shelves	ELG-240

Dimensions

Bracket Dimensions





Shelf Dimensions

Dimensions

Bracket Dimensions



End Elevation

Any configuration possible









F.A.Q

Is it suitable for outdoors?

No. Shelflyne is designed for indoor installation only

Can you make custom sizes?

Yes, but there is a minimum order quantity of 250 Bays

What applications can Shelflyne™ Retail be used in?

Shelflyne™ Retail can be used in:

Retail
Commercial
Hospitality
Residential

Can the profiles or drivers be bought seperately?

Yes, each accessory/part can be ordered in desired quantity. Please quote product code when ordering

Can I used different LEDs?

No. Shelflyne™ Retail is currently only available in Warm White 3000K and Natural White 4000K Light Profiles

How much weight can a shelf/board take?

Each shelf can weight bare up to 30kg. Max weight per bay is 150kg.

SHELFLYNE® | RETAIL

Designed by

LIGHTING SPACES

Distributed by

OMA

DESIGN | CONSTRUCT | DISPLAY