






NEON PRO T1615













Specifications

Wattage	15W/m
Voltage	DC24V
Dimensions	(W) 16mm x (H) 15mm
Cut Length	50mm
CCT	2700K/3000K/3500K/4000K/5000K/ Solid Colours/RGB/RGBW
Beam Angle	160°
IP Rating	IP67
Luminous Flux	960lm/m
CRI	>92+/98
Accessories	Surface Mounting Clip, Aluminum Clips, Mounting Profile, Front Power End Cap, Side Power End Cap, End Cap, Injection Direct Cable Endcap, Injection Side Cable Endcap, Injection Bottom Cable Endcap

Control Gear	Non Dimmable, 1-10V, TRIAC, DALI, DMX, RGB Controller, RGBW Controller
Warranty	3 years

Product Accessories

<p>Surface Mounting Clip</p> 	<p>Aluminum Clips</p> 	<p>Mounting Profile</p> 	<p>Front Power End Cap</p> 
<p>Side Power End Cap</p> 	<p>Bottom Power End Cap</p> 	<p>End Cap</p> 	<p>Injection Direct Cable Endcap</p> 
<p>Injection Side Cable Endcap</p> 	<p>Injection Bottom Cable Endcap</p> 		

Product Code

Example - NEON.TS1615.15.27.160.67.92.NDM

Product Name	Wattage	CCT	Beam Angle	IP Rating	CRI	Control Gear
NEON.TS1615	15(W/m)	27 (00K) 30 (00K) 40 (00K) 50 (00K) SCL (Solid Colour) RGB (RGB) RGBW (RGBW)	160(°)	(IP)67	(>)92(+) (>)98	NDM (Non-dimmable) 1-10V (1-10V) TRIAC (TRIAC) DALI (DALI) DMX (DMX) RGBC (RGB Controller) RGBWC (RGBW Controller)

Product Accessory Code

Example - NEON.TS1615.SFMC

Product Name
NEON.TS1615

Accessories

SFMC (Surface Mounting Clip)
 ALCP (Aluminum Clips)
 MTPF (Mounting Profile)
 FPEC (Front Power End Cap)
 SPEC (Side Power End Cap)
 BPEC (Bottom Power End Cap)
 EDCP (End Cap)
 IDCE (Injection Direct Cable Endcap)
 ISCE (Injection Side Cable Endcap)
 IBCE (Injection Bottom Cable Endcap)

Bending Diagram

